

	RY	SX	TT	WW	AP	AP	AR	CL	EM	EP	HP	HP	V459	V459	SS	SS	SS	TU	TU	TY	TY	TZ	TZ
	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	BOO	BOO	BOO	BOO	BOO	BOO	BOO	BOO	BOO
MAX	11.7	8.2	8.7	5.7	10.9	10.9	6.0	11.7	11.0	10.8	10.8	10.8	7.7	7.7	10.3	10.3	10.3	11.7	11.7	11.8	11.8	10.6	10.6
MIN	14.0	9.0	9.7	6.4	11.4	11.4	6.7	13.2	11.9	11.3	11.5	11.5	8.1	8.1	11.0	11.0	11.0	12.7	12.7	12.3	12.3	11.1	11.1
DUR	6	4	5	5	4	4	5	4	4	3	3	3	4	4	18	18	18	3	3	3	3	3	3
TOT															6	6	6						
				(S)		(S)						(S)		(S)	(2)		(3)		(S)		(S)		(S)
0- 1																		4.0	7.5	2.5	6.5	5.0	
1- 2						2.0												3.0	7.0	1.5	5.5	2.5	6.0
2- 3			3.5			5.5				1.5		2.5						2.5	6.5		4.0	7.0	3.5
3- 4					2.0													2.0	5.5	7.0	3.0	4.0	
4- 5					5.0								3.0		4.5	7.5		5.0	5.5	2.0	1.5	5.0	
5- 6		2.0				1.5							4.5					4.5	4.5		6.0	2.5	
6- 7			3.5			5.0												7.5	3.5	3.5	7.0	3.5	
7- 8					1.5					2.0								7.0	3.0	2.0	6.0		4.5
8- 9	3.0				5.0													6.5	2.5		5.0	5.5	2.0
9-10							2.0			3.5								5.5	2.0	7.5	3.5	3.0	6.5
10-11			3.0			4.5												5.0		6.5	2.5		4.0
11-12		3.0																4.5		5.0		5.0	
12-13					4.5					2.5		1.5	2.0					3.5	7.5	4.0		2.0	6.0
13-14													3.5					3.0	7.0	3.0	6.5	6.5	3.0
14-15			3.0			4.5			2.5									2.5	6.5	1.5	5.5	4.0	
15-16										1.5								2.0	5.5		4.0	1.5	5.0
16-17					4.0														5.0	7.0	3.0	6.0	2.5
17-18																			4.5	5.5	2.0	3.5	7.0
18-19			3.0	2.5		4.0												7.5	3.5	4.5			4.5
19-20															6.5	9.5		7.0	3.0	3.5	7.0	5.5	2.0
20-21					4.0													6.5	2.5	2.0	6.0	3.0	6.5
21-22													3.0					5.5	2.0		5.0		3.5
22-23			3.0			3.5				4.0				4.5				5.0		7.5	3.5	4.5	
23-24				3.5														4.5		6.5	2.5	2.0	5.5
24-25					3.5													3.5	7.5	5.0		6.5	3.0
25-26										2.5								3.0	7.0	4.0		4.0	
26-27			3.0			3.5												2.5	6.5	3.0	6.5	1.5	5.0
27-28							3.0										3.0	1.5	5.5	1.5	5.5	6.0	2.5
28-29		2.0			3.0					1.5									5.0		4.5	3.5	7.0
29-30													2.0						4.5	7.0	3.0		4.5
30-31			3.0			3.0							3.5					7.5	3.5	6.0	2.0	5.0	1.5

	UW	VW	VW	ZZ	AD	AD	BW	BW	Y	SV	AL	CD	CD	XZ	YY	AC	AK	AM	AM	RW	TY	RZ	TV
	BOO	BOO	BOO	BOO	BOO	BOO	BOO	BOO	CAM	CAM	CAM	CAM	CAM	CMI	CMI	CMI	CMI	CMI	CMI	CAP	CAP	CAS	CAS
MAX	10.4	10.5	10.5	6.8	9.8	9.8	7.1	7.1	10.6	8.6	10.5	11.6	11.6	9.7	8.5	11.0	10.1	10.0	10.0	9.8	10.5	6.4	7.3
MIN	11.4	11.0	11.0	7.6	10.4	10.2	7.5	7.5	12.4	9.4	11.3	11.8	11.8	10.2	9.1	11.5	11.5	10.7	10.4	10.8	11.6	7.8	8.4
DUR	3	3	3	5	4	4	5	5	6	3	5	5	5	3	4	3	4	5	6	5	4	4	4
TOT			(S)	(S)		(S)		(S)					(S)						(S)				
0- 1	11.0	6.5	2.0							8.5	4.5	2.5											
1- 2		7.0	3.0	11.0									6.0								9.0		
2- 3		7.5	3.5							3.5		9.5								9.5			
3- 4			4.0							8.0		3.5				4.0			1.5			1.5	
4- 5			5.0								4.0		7.0	2.0					2.0			6.5	
5- 6			5.5					8.5		2.5		10.5	1.5						2.5			11.0	
6- 7		2.0	6.0	10.5		2.0				7.0		5.0					3.0		3.0				8.0
7- 8		2.5	6.5		2.5		7.5						8.5						3.5				
8- 9		3.0	7.5			3.5			3.0	1.5	3.5		3.0	3.5	3.5				4.0				
9-10		4.0	8.0		4.0					6.0		6.5											
10-11		4.5				5.0				10.5			10.0			2.5	2.0					5.5	
11-12		5.0		10.5	6.0				10.5				4.0								8.0	10.5	
12-13		6.0	1.5			6.5				5.5	3.5	7.5											
13-14		6.5	2.5		7.5					10.0		2.0											
14-15		7.0	3.0			8.5							5.5										
15-16		8.0	3.5		9.0			8.5		4.5		9.0		2.0									9.5
16-17			4.5	10.0		10.0				9.0	3.0	3.5				4.0						5.0	
17-18			5.0		11.0		7.5				11.0		7.0									10.0	
18-19		1.5	5.5							3.5		10.5									11.0		
19-20		2.0	6.0							8.0		5.0		3.5	2.0		3.5			8.5			
20-21		3.0	7.0								2.5		8.5										
21-22		3.5	7.5	10.0					8.5	3.0	10.5		2.5								7.5		
22-23		4.0	8.0							7.5		6.0										4.5	
23-24		4.5											9.5			2.5	2.5					9.5	
24-25		5.5								2.0	2.0		4.0										11.0
25-26		6.0	2.0					8.5		6.5	10.0	7.5											
26-27		6.5	2.5	10.0						11.0		2.0	11.0	2.0									6.5
27-28		7.5	3.0				7.5						5.5				1.5						
28-29		8.0	4.0							5.5	2.0	9.0								10.0	4.0		
29-30			4.5							10.0	9.5	3.0										8.5	
30-31			5.0										6.5	3.0				2.0					

	TW	ZZ	AB	CW	CW	DZ	IR	IS	IT	IV	MM	OR	OX	OX	PV	V364	V364	V375	V380	U	SU	WW	WZ		
	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CEP	CEP	CEP	CEP		
MAX	8.3	10.7	10.2	11.8	11.8	11.6	10.8	11.6	11.0	11.2	11.3	11.4	10.1	10.1	10.0	11.2	11.2	10.1	10.4	6.7	8.8	11.1	11.7		
MIN	8.9	11.1	12.2	12.5	12.5	12.3	12.1	12.6	11.8	12.5	11.9	12.4	10.9	10.9	10.6	11.7	11.7	10.9	11.1	9.8	9.8	11.9	11.3		
DUR	5	4	4	3	3	4	4	5	5	5	5	4	5	5	3	4	4	5	5	4	4	4	3		
TOT																				2					
					(S)								(S)			(S)									
0- 1	9.0	4.0		7.0	3.0	7.5				6.5		1.5			5.0								6.0		
1- 2		10.0	10.0	6.0	2.0					6.5	8.0	7.5		6.0										2.0	
2- 3				5.0			5.5			6.5								5.0	5.0					8.0	
3- 4	5.5			4.0		11.0				6.5														4.0	
4- 5			4.0	3.0	6.5	6.0	6.5			6.5						9.0				2.5					
5- 6		3.5		2.0	5.5					6.5					11.0									6.0	
6- 7	2.0	9.0			4.5		7.5			6.5		7.0		5.5							6.5		9.5	2.0	
7- 8				7.5	3.5	9.5				6.5					5.0							7.0		8.0	
8- 9			6.0	6.5	2.5		8.5	9.5		6.5	7.0							2.5				4.5	3.0	4.0	
9-10				5.0	1.5					6.5	11.0													2.0	
10-11	9.0	2.5		4.0			9.5	6.0		6.5														6.5	
11-12		8.5		3.0	7.0	7.5				6.0		6.5				8.0									2.5
12-13			8.5	2.0	6.0		11.0			6.0			11.0		11.0										8.5
13-14	5.5				5.0					6.0															4.5
14-15					4.0	11.0				6.0					5.0	10.0			10.0	2.0					
15-16		2.0	2.0	6.5	3.0	5.5				6.0												9.5		6.5	
16-17	2.0	8.0	11.0	5.5	2.0					6.0	9.5	6.0										7.0		2.5	
17-18				4.5			5.0			6.0			10.5									5.0	8.0	8.5	
18-19				3.5	7.5	9.0				6.0								10.0						4.5	
19-20			4.5	2.5	6.5		6.0	11.0		6.0					11.0							1.5			
20-21	9.0	1.5		1.5	5.0					6.0															6.5
21-22		7.5			4.0		7.0	7.0				5.5			5.0		8.5	9.0	5.0						3.0
22-23				7.0	3.0	7.0							10.0												9.0
23-24	5.5		7.0	6.0	2.0		8.0				8.5														5.0
24-25				5.0					11.0								10.5	7.5			10.0				
25-26				4.0		10.5	9.0												6.5		7.5				7.0
26-27	2.0	6.5		3.0	6.5	5.5						5.5			11.0						5.0				3.0
27-28			9.5	2.0	5.5		10.0						9.5						6.5						9.0
28-29					4.5				8.5						5.0										5.0
29-30				7.5	3.5	8.5	11.0												8.5						
30-31	9.0		3.0	6.5	2.5						7.5							5.0							7.0

	WZ	XX	ZZ	DK	DL	DV	EG	EK	GK	RW	RW	RZ	RZ	SS	SS	CC	CC	U	RW	TW	W	W	RV
	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	COM	COM	COM	COM	COM	COM	COM	COM	CRB	CRB	CRB	CRV	CRV	CRV
MAX	11.7	8.5	9.3	12.2	12.4	11.6	9.6	8.2	6.9	11.0	11.0	10.0	10.0	10.9	10.9	11.0	11.0	7.6	10.1	10.5	10.6	10.6	9.0
MIN	11.1	9.6	10.0	14.2	13.2	12.4	10.6	9.5	7.4	11.6	11.6	10.7	10.7	11.5	11.5	11.9	11.9	8.8	10.6	11.3	11.2	11.2	10.0
DUR	3	4	5	4	5	4	3	6	4	3	3	3	3	4	4	2	2	5	4	4	4	4	4
TOT	(S)									(S)		(S)		(S)		(S)						(S)	
0- 1		5.0					6.0		10.5	4.0	1.5	6.0	2.0	7.5	2.5	2.0	4.5			9.0	1.5	6.5	
1- 2	7.0				8.0		8.0		9.0	3.0		6.5	2.5	3.0	8.0	4.5	2.0		7.5		5.5		5.5
2- 3	3.0						10.0		7.5	2.0	4.5	7.0	2.5	9.0	4.0	1.5	4.5			3.5		5.0	
3- 4	9.0								6.0		3.5	7.0	3.0	4.5	9.5	4.0	1.5			7.5	4.0		
4- 5	5.0					4.0			4.5	5.0	2.0	7.5	3.5		5.5	1.5	4.0	1.5	5.5			3.5	5.5
5- 6						7.5	3.5		3.0	4.0		8.0	4.0	6.0		4.0				2.0	3.0		
6- 7	7.0		2.5		5.5		5.5	10.0		2.5	5.5		4.0	2.0	7.0		3.5		9.5	6.5	7.0	2.0	
7- 8	3.0	5.5					8.0			1.5	4.5		4.5	8.0	3.0	3.5			3.0	10.5	1.5	6.0	5.0
8- 9	9.0		6.0				10.0				3.0		5.0	3.5	8.5		3.5				5.5		
9-10	5.0								4.5	2.0			5.5	9.5	4.5	3.0			7.5	5.0			4.5
10-11			9.5						3.5		1.5	5.5	5.0				3.0			9.0	4.0		5.0
11-12	7.5				3.0	3.0	3.5			2.5	5.0	2.0	6.0		6.0	3.0						3.0	
12-13	3.5					7.0	5.5				4.0	2.5	6.5	6.5	1.5		2.5		5.0	3.5	2.5	7.0	
13-14	9.5					11.0	7.5			5.5	2.5	3.0	7.0	2.5	7.5	2.5	5.0			8.0	6.5	1.5	4.5
14-15	5.5	6.0			9.0		9.5			4.5	1.5	3.0	7.0	8.0	3.0	5.0	2.5	10.0	9.5			5.5	
15-16	1.5							6.5	10.0	3.0		3.5	7.5	4.0	9.0	2.0	5.0		3.0	2.0	5.0		
16-17	7.5								8.5	2.0	4.5	4.0	8.0	9.5	5.0	4.5	2.0			6.5		4.5	4.5
17-18	3.5						3.0		7.0		3.5	4.5		5.5		2.0	4.5		7.0	11.0	3.5		
18-19	9.5					2.5	5.0		5.5	5.0	2.5	4.5			6.5	4.5	1.5					3.0	
19-20	5.5			11.0	6.5	6.5	7.5		4.0	4.0		5.0		7.0	2.0	1.5	4.0			5.0	2.0	7.0	4.0
20-21	1.5			10.5		10.0	9.5		2.5	2.5	5.5	5.5		3.0	8.0	4.0	1.5		5.0	9.5	6.0	1.5	
21-22	8.0	6.0	2.5	10.5						1.5	4.5	6.0	1.5	8.5	3.5		4.0	8.0				5.5	
22-23	4.0			10.0							3.0	6.0	2.0	4.5	9.5	3.5			9.0	4.0	4.5		4.0
23-24	10.0		6.0	9.5			3.0			5.0	2.0	6.5	2.5		5.0		3.5		2.5	8.0		4.0	
24-25	6.0			9.5	4.0		5.0	3.0		3.5		7.0	3.0	6.0		3.5					3.0		
25-26	2.0		9.5	9.0		2.0	7.0			2.5	5.0	7.5	3.0	2.0	6.5		3.0		7.0	2.5	7.0	2.5	3.5
26-27	8.0			8.5		5.5	9.5			4.0	7.5	3.5	7.5	2.5	3.0					7.0	2.0	6.5	
27-28	4.0			8.5	10.5	9.5				5.5	3.0	8.0	4.0	3.5	8.5		3.0			11.0	5.5		
28-29		6.5		8.0						4.5	1.5		4.5	9.0	4.0	2.5		5.5	4.5			5.0	3.5
29-30	6.0			7.5			2.5		11.0	3.0			4.5	5.0	10.0	5.0	2.5			5.5	4.5		
30-31	2.0			7.5			5.0		9.5	2.0	5.0		5.0		5.5	2.5	5.0		9.0	9.5		3.5	

	RV	SX	SX	V	SW	WW	ZZ	AE	BR	CG	DK	KR	KV	V346	V387	V388	V401	V456	V466	V466	V477	V548	V704
	CRV	CRV	CRV	CRT	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG
MAX	9.0	8.9	8.9	9.5	9.3	9.9	10.7	11.8	9.4	11.0	10.3	9.2	11.5	11.8	11.5	9.7	10.8	10.8	10.8	10.8	8.3	8.9	13.8
MIN	10.0	9.2	9.2	10.2	11.8	13.2	12.0	12.8	10.5	11.8	10.8	10.0	12.6	13.6	12.3	10.3	11.6	11.9	11.6	11.6	9.2	9.7	14.6
DUR	4	3	3	4	5	5	4	4	4	3	4	4	5	5	3	3	4	3	4	4	4	5	4
TOT					2																		
	(S)		(S)																		(S)		
0- 1	2.5	7.0	3.5								9.0					5.0	3.5						11.0
1- 2		6.0	2.0	2.0		9.5	8.0			6.5	7.5				8.5		7.5		7.5				
2- 3		5.0							8.0		6.0							8.5					
3- 4	2.0	3.5	7.5	4.5			5.0								6.5			6.0		9.5			7.5
4- 5		2.5	6.0		8.0					10.5		9.5					5.5						11.0
5- 6			5.0									5.5		11.0			8.5	9.5				9.5	
6- 7	2.0		4.0				8.5	11.0	7.5	8.0							5.0			4.5			
7- 8		6.5	2.5					10.0			10.5							3.5				5.0	7.5
8- 9		5.0		2.5			6.0	9.5		5.5	9.0			5.0	9.5		7.5		6.5		5.0		11.0
9-10	1.5	4.0						8.5			7.5	11.0											
10-11		2.5	6.5	5.0				8.0	7.5		6.0	7.5			7.5			9.0		8.5			
11-12	7.5	1.5	5.5			8.5	9.0	7.0		9.0							9.0	5.5	6.5				7.5
12-13			4.0					6.5							6.0	5.5	9.5		10.5				10.5
13-14		6.5	3.0				6.5	5.5		6.5													
14-15	7.0	5.5	1.5						7.5														10.0
15-16		4.5		3.0			4.0				10.5	9.0			10.5		7.5		5.5		6.0		7.0
16-17		3.0	7.0				10.0			10.0	9.0	5.0	8.5	10.5								5.5	10.5
17-18	7.0	2.0	5.5	5.5							7.5				9.0	9.0				7.5			
18-19			4.5				7.0		7.5	7.5	6.0					5.5	5.0	9.5					
19-20		7.0	3.5										4.5	4.0	7.0		9.0	7.0	9.5				7.0
20-21	6.5	6.0	2.0				4.5			5.0		10.5						4.5					10.5
21-22		4.5				7.5	10.5					7.0			5.0								
22-23		3.5	7.5	3.5					7.5								7.0		4.5		6.5		
23-24	6.5	2.5	6.0				8.0			9.0	10.5					9.5	11.0					10.5	7.0
24-25			5.0	6.0							9.0				10.0	6.0				6.5			10.5
25-26		7.5	3.5				5.0			6.5	7.5						5.0					6.0	
26-27	6.0	6.5	2.5						7.5		6.0	8.5			8.0		9.0	10.0	8.5				
27-28		5.0			5.0							5.0		9.5				7.5					7.0
28-29		4.0					8.5			10.0					6.0			5.0		11.0			10.0
29-30	6.0	2.5	6.5	4.0												9.5	7.0				7.5		
30-31		1.5	5.5				6.0		7.5	7.5							6.5	11.0					

	TU	UX	CC	CT	HS	HS	LT	V728	WY	WY	AV	DF	DF	DI	DK	SW	SW	VX	AW	CM	CO	CO	DG
	HER	HER	HER	HER	HER	HER	HER	HER	HYA	HYA	HYA	HYA	HYA	HYA	HYA	LAC	LAC	LAC	LAC	LAC	LAC	LAC	LAC
MAX	10.6	8.9	9.5	9.9	8.5	8.5	10.7	10.9	10.3	10.3	10.2	11.0	11.0	11.0	10.5	9.2	9.2	10.9	10.6	8.5	10.5	10.5	10.8
MIN	13.4	9.8	12.8	11.2	9.0	9.0	11.1	11.5	11.1	11.1	10.6	11.5	11.5	12.0	11.0	10.0	10.0	12.3	11.3	9.5	11.0	11.0	12.0
DUR	5	5	4	4	4	4	4	3	3	3	4	4	4	4	4	3	3	4	5	4	5	5	4
TOT	1																						
						(S)				(S)			(S)				(S)					(S)	
0- 1			9.0					3.0				2.5		3.0		6.5							
1- 2								2.0	3.0			2.5								6.5			
2- 3		3.5	2.5		9.0							2.0										5.5	
3- 4						5.5		10.5				2.0					7.5						
4- 5	1.5							9.0			2.5	2.0						7.5					
5- 6		6.0		8.0				7.5		1.5		1.5						9.5	7.5			7.5	8.0
6- 7	8.0						2.5	6.5	3.0		3.5	1.5			2.5			11.0	10.5				
7- 8			7.5	3.0	7.0		4.5	5.0					5.0		3.5								
8- 9		8.5					6.5	3.5			5.0		5.0	3.0	4.5	7.0						9.5	
9-10							8.5	2.0					5.0							7.0	4.5		
10-11							10.5			1.5			4.5										
11-12		10.5				10.0		10.5	3.5				4.5										
12-13				5.0				9.5					4.0				7.0				6.5		
13-14	3.0							8.0					4.0						7.5				
14-15			6.0	6.0				6.5					4.0						10.5				
15-16	9.5							5.0		2.0			3.5								8.5		
16-17						7.5		4.0	4.0				3.5	3.0		7.5							9.0
17-18								2.5			2.0		3.0		1.5	6.5				8.0			
18-19													3.0		2.5			7.0			10.5		
19-20		4.5	10.5				2.5	11.0			3.5		3.0		3.5			8.5				4.5	
20-21					9.5		4.5	9.5		2.5			2.5				7.5	10.5					
21-22			4.5	9.5		5.5	6.5	8.0	4.0		4.5		2.5						7.5				
22-23	5.0	7.0					8.5	7.0					2.0						10.5			6.5	
23-24				4.5			11.0	5.5			6.0		2.0										
24-25								4.0					2.0	2.5									
25-26		9.5			7.0			2.5		2.5			1.5			7.0				8.5		8.5	4.5
26-27			9.0			3.5							1.5										
27-28														4.5									9.5
28-29			2.5					10.0				5.0										10.5	
29-30						10.0		8.5				5.0			1.5	7.0		7.5		5.5			
30-31				8.0	5.0			7.0		3.0	2.0	4.5			2.5			10.5					

	XZ	IQ	IQ	IT	IU	KW	V432	RV	UZ	UZ	AV	U	V505	1968	RS	AO	CC	CC	Y	RZ	WY	AM	AQ
	PER	PER	PER	PER	PER	PER	PER	PSC	PUP	PUP	PUP	SGE	SGR	SGR	SER	SER	SER	SER	SEX	TAU	TAU	TAU	TAU
MAX	10.6	7.7	7.7	9.9	10.5	10.5	11.0	11.3	9.7	9.7	10.2	6.4	6.4	12.3	10.8	10.6	11.1	11.1	9.8	10.5	11.5	10.4	12.0
MIN	12.7	8.3	7.9	10.5	11.6	11.5	11.7	12.0	10.6	10.3	10.8	9.1	7.6	13.3	11.5	12.1	11.7	11.7	10.2	11.2	11.7	12.3	12.9
DUR	4	5	5	4	5	4	3	3	4	4	3	6	5	4	4	4	4	4	3	3	4	5	5
TOT												2											
			(S)							(S)									(S)				
0- 1				10.5											7.0	9.5	1.5	7.5	4.5				
1- 2					1.5				2.5								6.5	2.0	8.5				
2- 3								10.5					10.5	8.0			3.5	3.0	9.0				
3- 4										2.5	1.5				6.5		3.5	10.0	3.5		2.0		
4- 5																	4.5	10.5					
5- 6									2.0								5.5		5.5				
6- 7														7.0	6.5		6.0		2.0				
7- 8					1.5	10.0		10.0		2.0				10.0		10.0	7.0					2.0	
8- 9		3.0				8.5					1.5		8.5			7.5	7.5	1.5	4.0	1.5			
9-10									1.5			9.5			6.0	4.5	8.5	2.0					
10-11														5.5	11.0	1.5	9.0	3.0					
11-12	2.5													8.5			10.0	3.5	2.5				
12-13								9.5							6.0		10.5	4.5			2.0		
13-14					1.5						2.0				10.5			5.0	5.0				
14-15																11.0		6.0					
15-16		2.5											10.5	7.0	6.0	8.0		7.0					2.0
16-17														10.0	10.5	5.0		7.5	3.5				
17-18							1.5									2.5	2.0	8.5					
18-19											2.0				5.5		3.0	9.0	6.0				
19-20					1.5									5.5	10.5		3.5	10.0	2.0				
20-21						11.0								8.5			4.5	10.5					
21-22			2.5			9.5							8.5		5.5		5.0		4.5		2.0		
22-23		2.0													10.0	9.0	6.0						
23-24				11.0							2.0					6.0	6.5						
24-25														7.5	5.0	3.0	7.5		3.0				
25-26					1.5									10.5	10.0		8.5	2.0					
26-27	2.0											7.0					9.0	3.0	5.5				
27-28													6.5		5.0		10.0	3.5	1.5				
28-29			2.0							2.5		11.0	6.0	9.5		10.5	4.5						
29-30													9.0		10.0		5.0	4.0					
30-31																7.0	6.0				2.0		

	HU	V	X	RS	RV	W	TX	TY	TY	UX	UX	VV	XZ	ZZ	AF	W	RU	VV	AG	AH	AH	AK	AW
	TAU	TRI	TRI	TRI	TRI	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMI	UMI	VIR	VIR	VIR	VIR	VIR	VIR
MAX	6.0	10.9	8.9	10.3	11.4	9.1	6.8	11.7	11.7	12.7	12.7	10.1	10.1	9.8	10.8	8.6	10.7	11.7	8.8	9.7	9.7	10.0	10.8
MIN	6.8	11.9	12.0	11.0	12.5	9.9	8.9	12.4	12.4	13.8	13.8	11.0	11.7	11.2	11.6	9.7	11.4	13.5	9.4	10.2	10.2	11.5	11.9
DUR	6	4	4	4	4	3	6	3	3	1	1	3	3	4	8	7	4	4	4	4	4	4	3
TOT																							

	(S)											(S)											
0- 1				10.0		4.0		6.5	2.5	4.0	8.5	3.5					3.0	2.0	7.0	2.5	7.0		
1- 2						4.0	6.5	8.0	4.0	8.0	3.5						4.5			7.5	2.5		1.5
2- 3						4.0				5.5	3.0	7.5	5.0			5.5	5.5	8.0	5.5	3.0	8.0		3.0
3- 4						4.0		2.5	7.0	7.5	2.5			7.5			6.5	5.0		8.5	3.5		4.5
4- 5						4.0	8.0	4.0	8.5	2.0	7.0	6.5	2.0				8.0	2.5	3.5	4.0			6.0
5- 6				10.0		4.0		6.0	1.5	6.5	2.0		7.0				9.0				4.5	5.5	7.5
6- 7		10.5				4.0		7.5	3.0	1.5	6.0	8.0					10.5	8.0	2.0	5.0			
7- 8						4.0	9.5		4.5	5.5						8.0		5.5	8.5		5.5		2.0
8- 9					10.5	4.0		2.0	6.0		5.5	9.5			5.5			3.0		6.0			3.5
9-10						4.0		3.5	7.5	5.0		2.0							7.0	1.5	6.5		5.0
10-11						4.5		5.0		9.0	4.5		4.5	5.0				2.5	8.5		7.0	2.0	6.5
11-12				11.0		4.5		6.5	2.0	4.0	9.0	3.5					3.5	6.0	5.0	2.5	7.0	5.0	8.0
12-13						4.5		8.0	3.5	8.5	3.5					10.5	5.0	3.5		7.5	3.0		
13-14		11.0				4.5			5.0	3.5	8.0	5.0					6.0		3.5	3.5	8.0		2.5
14-15						4.5		2.5	6.5	7.5	3.0					3.0	7.5	9.0		8.5	3.5		4.0
15-16						4.5		4.0	8.5	2.5	7.0	6.5	2.0				8.5	6.5	2.0	4.0			5.5
16-17						4.5		5.5		7.0	2.0		7.0				9.5	3.5	8.5		4.5		7.0
17-18						4.5		7.0	3.0	1.5	6.5	8.0		2.5			11.0			5.0		4.0	
18-19						4.5			4.5	6.0								9.0	7.0		5.5	8.5	1.5
19-20						4.5		1.5	6.0		5.5	9.5		9.5		5.5		6.5		6.0			3.0
20-21			11.0			4.5		3.0	7.5	5.0		2.0					2.0	4.0	5.0	1.5	6.5		4.5
21-22			10.5	10.0		4.5		4.5			5.0		4.5				3.0	1.5		7.0	2.0		6.0
22-23						4.5		6.0	2.0	4.5	9.0	3.5					4.0		3.5	2.5	7.5		7.5
23-24						4.5		7.5	3.5	9.0	4.0						5.5	7.0		8.0	3.0	3.5	
24-25						4.5			5.0	3.5	8.5	5.0				8.0	6.5	4.5	1.5	3.5	8.0	8.0	2.0
25-26						4.5		2.5	6.5	8.0	3.0						8.0	2.0	8.5	8.5	4.0		3.5
26-27						4.5		4.0	8.0	3.0	7.5	6.5	2.0	7.5			9.0			4.0			5.0
27-28	1.5					4.5		5.5		7.0	2.5		7.5				10.0	7.5	7.0		4.5		6.5
28-29						4.5		7.0	2.5	2.0	7.0	8.0						5.0		5.0			8.0
29-30						4.5		8.5	4.0	6.5	1.5				6.0	10.5		2.0	5.0		5.5	2.5	
30-31		10.0				4.5		1.5	5.5		6.0	9.5								6.0		7.0	2.5

	AW	AX	AZ	AZ	BH	MS	MS	NY	Z	AW	AX	AY	BE	BO	BS	BT	BU	CD	V495	V495
	VIR	VIR	VIR	VIR	VIR	VIR	VIR	VIR	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL
MAX	10.8	10.0	11.0	11.0	9.9	9.4	9.4	13.3	7.4	10.8	11.0	11.0	9.9	10.4	11.0	11.8	10.6	11.5	9.6	9.6
MIN	11.9	10.8	11.8	11.8	11.3	9.7	9.7	14.2	9.2	11.9	12.5	12.9	11.4	13.3	11.5	12.5	11.4	12.6	10.0	10.0
DUR	3	4	3	3	4	3	3	1	6	5	5	4	5	4	3	3	3	4	4	4
TOT	(S)			(S)			(S)													(S)
0- 1	4.5			5.0	7.0		4.0	2.0							9.5	9.0	10.5			8.0
1- 2	6.0	4.0	2.0	6.0	2.5	6.0	2.5	2.5					10.0		8.5			7.0		
2- 3	7.5		3.0	7.5		4.5			5.0	9.5					7.0					
3- 4		6.5	4.0			3.0	7.0								6.0		7.0	8.5		
4- 5	2.0		5.5		9.0	1.5	5.5								5.0		10.0		8.5	
5- 6	3.5	9.0	6.5	2.5	5.0		4.0											9.5		5.5
6- 7	5.0	2.0	8.0	3.5		6.0	2.5			10.0										
7- 8	6.5			4.5		4.5				5.5						5.5	6.5	11.0		
8- 9	8.0	4.5	1.5	6.0		3.0	7.0	1.5				10.0				8.5	10.0			
9-10			3.0	7.0	7.0	1.5	5.5	2.0							10.5					6.0
10-11	2.5	7.0	4.0	8.5	2.5		4.0	2.0		11.0					9.5					
11-12	4.0		5.5			6.0	2.5	2.5		6.5					8.0		6.0			
12-13	5.5	9.5	6.5	2.0		4.5							7.0		7.0		9.5	5.5		
13-14	7.0	2.5	7.5	3.5	9.0	3.0	7.0					6.0			6.0					10.0
14-15	8.5			4.5	4.5	1.5	5.5				5.5				4.5			7.0		
15-16		5.0	1.5	6.0			4.0			7.0			9.5			5.0	5.5			
16-17	3.0		2.5	7.0		6.0	2.5				6.0					8.5	9.0	8.0		
17-18	4.5	7.5	4.0	8.0		4.5		1.5												10.5
18-19	6.0		5.0		6.5	3.0	7.0	1.5			6.5		10.5					9.5		7.5
19-20	7.0		6.5	2.0	2.0	1.5	5.5	2.0	9.5	8.0					10.5		5.5			
20-21		3.0	7.5	3.0			4.0	2.0			7.5			9.5	9.0		8.5	10.5		
21-22	1.5			4.5		6.0	2.5	2.5							8.0					
22-23	3.0	5.5	1.5	5.5	8.5	4.5					8.0			8.0	7.0				8.0	
23-24	4.5		2.5	7.0	4.0	3.0	6.5			8.5					6.0	5.0				5.5
24-25	6.0	8.0	4.0	8.0		1.5	5.0		7.0		8.5			7.0	4.5	8.0	8.0			
25-26	7.5		5.0			7.5	3.5					7.5						5.5		
26-27			6.0	2.0		6.0	2.0				9.0		6.0	5.5						
27-28	2.0	3.5	7.5	3.0	6.0	4.5		1.5		9.5								6.5	5.5	
28-29	3.5			4.5	1.5	3.0	6.5	1.5			9.5						8.0			
29-30	5.0	6.5		5.5		1.5	5.0	2.0	5.0				8.5		10.5		11.0	8.0		
30-31	6.5		2.5	6.5		7.5	3.5	2.0			10.5				9.0					