

	V346	RX	SS	SS	RY	SX	TT	WW	WW	AP	AP	AR	AR	CL	EM	EP	HP	HP	IM	V459	V459	SS	SS	
	AQL	ARI	ARI	ARI	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	BOO	BOO
MAX	9.0	9.4	10.1	10.1	11.7	8.2	8.7	5.7	5.7	10.9	10.9	6.0	6.0	11.7	11.0	10.8	10.8	10.8	7.9	7.7	7.7	10.3	10.3	
MIN	10.4	9.9	11.1	11.1	14.0	9.0	9.7	6.4	6.4	11.4	11.4	6.7	6.7	13.2	11.9	11.3	11.5	11.5	8.5	8.1	8.1	11.0	11.0	
DUR	4	4	3	3	6	4	5	5	5	4	4	5	5	4	4	3	3	3	4	4	4	18	18	
TOT																						6	6	
				(S)				(S)		(S)		(S)					(S)		(S)			(S)	(3)	
0- 1			3.0	8.0			10.0								10.5				11.5					
1- 2			8.5	3.5						8.5						9.5		11.5						
2- 3			4.0	9.0	7.5			10.0		12.0				10.5	6.0									
3- 4	1.5		9.0	4.5							8.5											7.5		
4- 5	4.0		4.5	9.5		7.5	10.0				11.5					8.5		7.5	5.0			9.0		
5- 6	6.5			5.0							8.0								11.0			10.5		
6- 7			5.5								11.5						11.0							
7- 8				5.5			11.0				8.0			9.5		7.5								
8- 9			6.0				10.0				11.5					12.0								
9-10				6.5							8.0						7.0		5.0					
10-11			7.0		11.5	8.5					11.0					6.5			11.0					
11-12				7.0							7.5				8.5	11.0		10.5			7.0			
12-13			7.5	2.5			10.0				11.0			9.0							8.5			
13-14			3.0	8.0	5.0						7.5										10.0			
14-15	3.0		8.0	3.5							11.0	6.5				9.5		6.5	4.5	11.5				
15-16	5.5		3.5	8.5		4.5					7.5								10.5					
16-17	8.0		9.0	4.0		9.5	10.0		7.0		10.5	8.0					10.0							
17-18			4.5	9.5							7.0			8.5		8.5								
18-19			9.5	5.0							10.5	9.5										2.0	5.0	
19-20		3.0	5.0														6.0		4.5					
20-21		3.5		5.5			10.0				10.5	11.0			11.5	7.5			10.5		7.5			
21-22		4.5	6.0		9.5	6.0			8.5							12.0		9.5			9.0			
22-23		5.0		6.0		11.0				10.0				8.0	7.0						10.5			
23-24		6.0	6.5													6.5								
24-25	2.0	6.5		7.0			10.0				10.0					11.0		5.5	4.0					
25-26	4.5	7.0	7.5																10.0					
26-27	7.0	8.0	3.0	7.5					9.5	10.0							9.0							
27-28		8.5	8.0	3.0		7.0								7.5		9.5								
28-29		9.5	3.5	8.5			9.5														7.0			
29-30	10.0	8.5	4.0														5.0			8.5				

	AK	AM	RW	TY	RZ	TV	TW	ZZ	AB	CW	CW	DZ	GT	IR	IS	IT	IV	MM	OR	OX	OX	PV	V364
	CMI	CMI	CAP	CAP	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS
MAX	10.1	10.0	9.8	10.5	6.4	7.3	8.3	10.7	10.2	11.8	11.8	11.6	11.9	10.8	11.6	11.0	11.2	11.3	11.4	10.1	10.1	10.0	11.2
MIN	11.5	10.4	10.8	11.6	7.8	8.4	8.9	11.1	12.2	12.5	12.5	12.3	12.8	12.1	12.6	11.8	12.5	11.9	12.4	10.9	10.9	10.6	11.7
DUR	4	6	5	4	4	4	5	4	4	3	3	4	5	4	5	5	5	5	4	5	5	3	4
TOT																							
		(S)								(S)											(S)		
0- 1							5.0	6.5	2.0	1.0	5.0			9.5			2.0		9.5		5.5		
1- 2	9.5					3.5			10.5		4.0	8.0	8.5	2.0	10.0		2.0	3.5		11.5		12.0	
2- 3				5.5						7.0	3.0	3.0		10.5			2.0	7.0					
3- 4					4.5		1.5			5.5	2.0			3.0	6.0		2.0	11.0				6.0	
4- 5		10.0			9.0		12.0		4.0	4.5	1.0	11.5	8.5	11.5			2.0		3.0				1.5
5- 6		10.0		1.5				6.0		3.5	7.5	6.0		4.0	2.5		2.0		9.0		5.0		
6- 7	12.0	10.5						12.0		2.5	6.5	1.0					2.0			11.0			
7- 8		11.0					8.5			1.5	5.5		8.0	5.0			2.0						3.5
8- 9		11.5	7.0			9.5			6.5	0.5	4.5	9.5					2.0	2.0				12.0	
9-10					3.5					7.0	3.5	4.5		6.0			2.0	6.0	2.5				
10-11	11.0				8.5	5.0	5.0	5.5		6.0	2.5		8.0				2.0	10.0	8.5		4.5	6.0	5.5
11-12								11.0		5.0	1.0			7.0			2.0			10.5			
12-13				4.5					9.0	4.0		7.5			11.0		2.0						
13-14							1.5			3.0	7.0	2.5	7.5	8.0			1.5						7.5
14-15	10.0						12.0			2.0	5.5				7.5	11.0	1.5		2.0				
15-16			2.0	0.5	3.0			4.5	2.5	1.0	4.5	11.0		9.0			1.5	1.0	8.0		4.0	12.0	
16-17					8.0			10.5	11.5	7.5	3.5	6.0	7.5	1.5	3.5		1.5	5.0		10.0			9.5
17-18						11.0	8.5			6.5	2.5	1.0		10.0			1.5	8.5				6.0	
18-19	9.0									5.5	1.5			2.5		8.5	1.5						
19-20				7.0		6.5			5.0	4.5	0.5	9.5	7.0	11.0			1.5		1.5				11.5
20-21							5.0	4.0		3.5	7.0	4.0		3.5			1.5		7.5		3.5		
21-22					2.5	2.0		10.0		2.5	6.0						1.5			9.5			1.0
22-23				3.5	7.5					1.0	5.0		7.0	4.5		6.0	1.5					12.0	
23-24	11.5				12.0		1.5		7.5		4.0	7.5					1.5	3.5					
24-25						12.0				7.0	3.0	2.5		5.5			1.5	7.5	1.5			6.0	3.0
25-26			6.0					3.5		6.0	2.0		6.5		8.5		1.5	11.0	7.0		3.0		
26-27							9.5	1.0	4.5	1.0	11.0			6.5		3.5	1.5			9.0			
27-28	10.5				2.0		8.5		10.0	3.5	7.5	5.5			4.5		1.0						5.0
28-29					6.5	8.0				2.5	6.5		6.5	7.5			1.0						
29-30				6.5	11.5					1.5	5.5				1.0		1.0		1.0			12.0	

	V364	V375	V380	U	SU	WW	WZ	WZ	XX	ZZ	DL	DV	EG	EK	GK	SS	TT	TW	TW	TX	RW	RW	RZ
	CAS	CAS	CAS	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CET	CET	CET	CET	CET	COM	COM	COM
MAX	11.2	10.1	10.4	6.7	8.8	11.1	11.7	11.7	8.5	9.3	12.4	11.6	9.6	8.2	6.9	9.4	10.8	10.4	10.4	10.9	11.0	11.0	10.0
MIN	11.7	10.9	11.1	9.8	9.8	11.9	11.3	11.1	9.6	10.0	13.2	12.4	10.6	9.5	7.4	13.0	11.3	11.2	11.2	11.5	11.6	11.6	10.7
DUR	4	5	5	4	4	4	3	3	4	5	5	4	3	6	4	5	3	3	3	4	3	3	3
TOT				2												2					1		
	(S)							(S)											(S)		(S)		
0- 1	5.0	1.0				3.5	9.5	4.5					8.0		1.5		4.5		7.0				
1- 2			8.5		11.5		5.5		2.5				10.0						6.0	11.0	1.5		
2- 3					9.0		1.5	6.5			6.0								5.0	5.0			
3- 4	7.0			6.5	6.5		7.5	2.5	10.5	1.5		4.0	1.0					7.5					
4- 5		11.0	1.5		4.0		3.5	8.5				8.0	3.5					6.5		10.0		1.0	
5- 6			10.0		2.0		9.5	4.5		4.5		12.0	5.5					5.0		4.0			
6- 7	9.0						5.5	0.5					7.5									1.5	
7- 8		9.5					1.5	6.5		8.0	3.5		10.0	9.5			11.0		6.5	9.0			
8- 9			3.5	6.0			7.5	2.5	2.5				12.0		12.0		10.5		5.5			2.0	
9-10	11.0		12.0			8.5	3.5	8.5		11.5			1.0		10.5		10.0					0.5	
10-11		8.5			11.5		9.5	4.5	10.5		10.0	3.5	3.0		9.0		9.0	7.0		8.5			
11-12					9.0		6.0	0.5				7.0	5.5		7.5		8.5	5.5			1.0		
12-13			5.0		7.0		2.0	7.0			1.0	11.0	7.5		6.0		8.0						
13-14		7.0		6.0	4.5		8.0	3.0					9.5		4.5		7.0		7.0	7.5		1.5	
14-15	2.0				2.0		4.0	9.0					11.5		3.0		6.5		6.0				
15-16							10.0	5.0	3.0		7.0		1.0		1.0		6.0				2.0	0.5	
16-17		6.0	7.0				6.0	1.0					3.0	6.0			5.0	7.0		6.5	0.5		1.0
17-18	4.0						2.0	7.0	11.0			2.5	5.0				4.5	6.0					1.5
18-19				5.5			8.0	3.0		1.0		6.5	7.0					5.0		12.0		1.0	1.5
19-20		4.5			12.0		4.0	9.0			10.5	9.5							7.5	5.5			
20-21	6.5		8.5		9.5			5.0		4.5	4.5		11.5			12.0			6.5		1.5		
21-22					7.0		6.0	1.0					0.5						5.0	11.0			
22-23		3.5			5.0		2.0	7.0	3.0	8.0			2.5							5.0		2.0	
23-24	8.5		1.5	5.0	2.5	3.5	8.5	3.5			11.0		5.0		11.5	11.0		6.5				0.5	
24-25			10.0				4.5	9.5	11.5	11.5		2.0	7.0		10.0		11.5	5.5		10.0			
25-26		2.0						5.5			2.0	6.0	9.0	2.5	8.5		10.5			4.0	1.0		
26-27	10.5						6.5	1.5				9.5	11.5		7.0	10.5	10.0		7.0				
27-28			3.5				2.5	7.5							5.5		9.5		5.5	9.5		1.5	
28-29		0.5	12.0	5.0			8.5	3.5			8.5		2.5		4.0		8.5						
29-30					10.0		4.5	9.5	3.5				4.5		2.5	10.0	8.0	7.0			2.0		

	RZ	SS	SS	CC	CC	U	RW	TW	SW	WW	ZZ	AE	BR	CG	DK	KR	KV	V346	V387	V388	V401	V456	V466
	COM	COM	COM	COM	COM	CRB	CRB	CRB	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG
MAX	10.0	10.9	10.9	11.0	11.0	7.6	10.1	10.5	9.3	9.9	10.7	11.8	9.4	11.0	10.3	9.2	11.5	11.8	11.5	9.7	10.8	10.8	10.8
MIN	10.7	11.5	11.5	11.9	11.9	8.8	10.6	11.3	11.8	13.2	12.0	12.8	10.5	11.8	10.8	10.0	12.6	13.6	12.3	10.3	11.6	11.9	11.6
DUR	3	4	4	2	2	5	4	4	5	5	4	4	4	3	4	4	5	5	3	3	4	3	4
TOT									2														
	(S)		(S)		(S)																		
0- 1									6.0		6.5			2.0	5.5			10.0	1.5	1.0	2.5		
1- 2							2.0	1.0		4.0				8.5	4.0	9.5	5.5		8.5		6.5		
2- 3								5.0			4.0				2.5	6.0						8.0	4.0
3- 4										10.0			6.0	6.0	1.0	2.0		4.0	6.5		0.5	5.5	
4- 5	0.5	1.0									1.0				11.0		1.5			8.0	4.5	3.0	
5- 6	1.0							4.0			7.5			3.5	9.5				4.5	4.5	8.5		
6- 7	1.5						4.0							9.5	8.0					1.5			8.0
7- 8	1.5										4.5		6.0	1.0	7.0	7.5			2.5		2.5		
8- 9								2.5			11.0			7.0	5.5	4.0			9.5		6.5		
9-10							1.5		9.5		2.0	10.5			4.0				1.0				3.0
10-11			0.5		1.0						8.0	10.0		4.5	2.5				7.5	8.5		8.5	
11-12		1.5		1.0				1.0		3.0		9.0	6.0	11.0	1.0			9.5		5.0	4.5	6.0	
12-13					1.0			5.5			5.5	8.5		2.0	11.0	9.0			5.5	1.5	8.5	3.5	
13-14				0.5								7.5		8.0	9.5	5.5						1.0	7.0
14-15					0.5		3.5				2.5	7.0			8.0	2.0		3.5	4.0		2.0		
15-16								4.0			9.0	6.0	6.0	5.5	7.0		10.0		10.5		6.0		
16-17												5.5			5.5				2.0	8.5			2.0
17-18			1.0				1.5				6.0	4.5		3.0	4.0				8.5	5.5			
18-19								2.5				4.0		9.5	2.5	7.0	6.5			2.0	4.0	9.0	
19-20						3.5					3.5	3.0	6.0	0.5	1.0	3.5			7.0		8.0	6.5	
20-21											9.5	2.5		7.0	11.0							4.0	6.0
21-22								1.5		1.5	0.5	1.5			9.5		2.5		5.0		2.0	1.5	
22-23							3.5				6.5	1.0		4.5	8.5			9.0		9.0	6.0		
23-24		1.0							2.5				6.0	10.5	7.0	9.0			3.0	5.5			1.0
24-25			1.5							9.5	4.0			1.5	5.5	5.0			9.5	2.0			
25-26					1.5		1.0	4.5			10.0			8.0	4.0	1.5		2.5	1.0		4.0		
26-27	0.5			1.0		1.5					1.0				2.5				8.0		8.0	9.5	
27-28	1.0				1.0						7.5		5.5	5.5	1.0							7.0	5.0
28-29	1.5			1.0				3.0							11.0			6.0	9.5	2.0	4.5		
29-30					0.5						4.5			3.0	9.5	7.0				6.0	6.0	2.0	

	TX	WW	AF	AL	Z	RX	SZ	TT	TU	UX	CC	CT	DI	DI	HS	HS	LT V728	WY	WY	AV	SW	SW	
	GEM	GEM	GEM	GEM	HER	HER	HER	HER	HER	HER	HER	HER	HER	HER	HER	HER	HER	HYA	HYA	HYA	LAC	LAC	
MAX	10.0	9.8	10.2	9.3	7.3	7.1	10.2	9.7	10.6	8.9	9.5	9.9	8.4	8.4	8.5	8.5	10.7	10.9	10.3	10.3	10.2	9.2	9.2
MIN	11.9	10.5	11.3	10.0	8.2	7.7	12.0	10.4	13.4	9.8	12.8	11.2	9.1	9.1	9.0	9.0	11.1	11.5	11.1	11.1	10.6	10.0	10.0
DUR	6	4	4	4	8	5	4	4	5	5	4	4	6	6	4	4	4	3	3	3	4	3	3
TOT									1														
													(S)		(S)			(S)				(S)	
0- 1		10.5	11.5	9.5													4.5	3.5				2.5	6.0
1- 2							4.5		5.0									2.0				2.0	5.5
2- 3					6.0								1.5		4.5			0.5				1.0	4.5
3- 4						3.5				1.5						0.5		10.0				7.5	3.5
4- 5																			12.0			7.0	2.5
5- 6		9.5	11.0				6.5													11.5		6.0	1.5
6- 7					6.0		2.0			4.0						7.5		6.5				5.0	0.5
7- 8				8.5				5.0							2.5		5.0					4.0	7.5
8- 9	11.0							3.0									3.5	10.5				3.0	6.5
9-10								1.0		6.0	4.0	4.0					2.5					2.0	5.5
10-11		8.5	10.5		5.5	6.5	4.5		7.0					4.5			1.0					1.5	5.0
11-12																5.0							4.0
12-13						1.0											2.5					7.0	3.0
13-14																	4.5		10.5			6.5	2.0
14-15					5.5		6.5											7.0				5.5	1.0
15-16		7.0	9.5				2.0								7.0			5.5				4.5	
16-17											2.5					3.0		4.0				3.5	7.0
17-18									2.0									2.5				2.5	6.0
18-19				11.5	5.5			4.0									1.0	11.0		11.0		2.0	5.0
19-20						4.0	4.5	1.5														1.0	4.5
20-21			9.0							2.5					4.5							7.5	3.5
21-22		11.5														1.0						6.5	2.5
22-23	11.0				5.0													7.0				6.0	1.5
23-24							6.5			5.0	1.0		3.5					5.5	11.5			5.0	0.5
24-25							2.0									7.5	0.5	4.5				4.0	7.5
25-26			8.5	10.5											2.5		2.5	3.0				3.0	6.5
26-27		10.5			5.0	6.5			3.5								4.5	1.5				2.0	5.5
27-28												0.5								10.0		1.5	4.5
28-29						1.5	4.5	4.5											11.5				4.0
29-30								2.5								5.5						7.0	3.0

	AT	BB	BO	EP	U	SX	V501	V508	V839	1010	EF	EF	EQ	ER	ER	ET	FH	FL	FR	FT	GU	GU	U	
	MON	MON	MON	MON	OPH	OPH	OPH	OPH	OPH	OPH	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	PEG	
MAX	10.6	10.6	10.8	10.5	5.8	10.5	10.9	10.1	8.8	6.2	12.6	12.6	10.3	9.5	9.5	11.2	10.5	10.5	11.0	9.1	12.6	12.6	9.7	
MIN	11.4	11.3	12.1	11.1	6.5	11.2	11.8	10.7	9.4	7.0	14.1	12.8	13.3	10.2	10.2	12.4	11.5	13.2	11.9	9.7	13.5	13.5	10.5	
DUR	5	4	5	5	5	5	4	3	3	4	6	6	4	3	3	5	5	3	4	4	4	4	3	
TOT			1																					
											(S)			(S)							(S)			
0- 1								0.5	5.5				9.5		9.0	7.0						11.0	6.0	
1- 2								1.5	1.5	3.5										11.0		10.0		
2- 3		10.0		10.0				2.5										7.5	8.5			8.5	3.0	
3- 4						0.5		3.0	2.5	3.5					8.0								6.0	
4- 5								4.0			8.0			9.5							11.0			
5- 6							2.5	5.0	3.5	3.0								10.0			10.0		3.0	
6- 7					1.0			5.5													8.5		6.0	
7- 8						4.0		6.5	4.5	2.5			9.0	8.5										
8- 9												9.5			10.0							11.5	3.0	
9-10									5.5	2.0											10.0		6.0	
10-11		11.5		11.0				0.5	1.5					8.0							7.0		8.5	
11-12					2.0			1.5		2.0					9.0		8.0							3.0
12-13								2.5	2.5		10.5											11.5	6.0	
13-14		10.0						3.0		1.5							11.5				10.0		9.0	
14-15								4.0	3.5				9.0		8.5							8.5	3.0	
15-16	9.5							5.0		1.0				9.5									6.0	
16-17					2.5			5.5	4.5			11.5				11.0			11.5				9.0	
17-18	10.5							6.5		0.5					7.5	10.0			8.5	8.5		10.0	3.0	
18-19			10.5	12.0					5.5				9.0			8.5						8.5	6.0	
19-20	11.0								1.0							7.5		9.0					9.0	
20-21								0.5													12.0		3.0	
21-22	11.5	11.5			3.5		6.5	1.5	2.5			8.0	8.5	8.0								10.0	6.0	
22-23							5.5	2.5							9.5			11.0				8.5	9.0	
23-24							5.0	3.0	3.5														3.0	
24-25		9.5					4.0	4.0														10.5	6.0	
25-26				9.0			3.0	5.0	4.5		9.5				8.5					7.5		10.0	8.5	
26-27					4.0		2.5	5.5					10.0				9.0					8.5	2.5	
27-28							1.5	6.5	5.5														5.5	
28-29							1.0		1.0				8.0			7.5							8.5	
29-30												10.5		9.0								10.0	2.5	

	U	TY	UX	AQ	AQ	AQ	BB	BB	BG	BX	DI	GP	KW	KW	Z	RT	RV	ST	XZ	IQ	IQ	IT	IU
	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PER	PER	PER	PER	PER	PER	PER	PER	PER
MAX	9.7	10.5	10.7	10.3	10.3	10.3	10.6	10.6	10.5	10.9	9.6	10.2	12.1	12.1	9.9	10.6	10.3	9.7	10.6	7.7	7.7	9.9	10.5
MIN	10.5	12.6	12.0	13.0	13.0	13.0	11.2	11.2	11.8	11.5	10.8	11.0	12.4	12.4	12.4	12.0	12.7	13.2	12.7	8.3	7.9	10.5	11.6
DUR	3	6	5	12	12	12	3	3	4	3	2	4	3	3	6	4	8	5	4	5	5	4	5
TOT				4	4	4				1					2			1					
	(S)			(2)		(3)			(S)					(S)							(S)		
0- 1	1.5			1.0	3.0	5.0	8.0	4.0		4.0	11.5		6.5			11.5				5.0		3.5	
1- 2	4.5						1.5	6.0			4.5		2.0		12.0	8.0	6.0	7.0					11.5
2- 3	7.5	1.5	3.5				3.5	8.0		3.0				7.5		4.5							8.0
3- 4	1.5						5.5	1.0		6.0	7.5			3.0			5.5		6.5			5.0	4.5
4- 5	4.5						7.5	3.5		2.0	0.5		8.5					10.0		11.5			
5- 6	7.5	3.5	6.0				1.0	5.5		5.0	11.0		4.0				4.5			10.5			
6- 7	1.5						3.0	7.5		1.5	4.0			9.5		10.5					5.0	6.5	
7- 8	4.5						5.0	0.5		4.5				5.0		6.5	4.0			4.0			11.5
8- 9	7.5	6.0	8.0				7.0	2.5			7.0		10.5	0.5	3.0								8.0
9-10	1.5							4.5		3.5			6.0					6.0				8.5	4.5
10-11	4.5						2.5	6.5		6.5	10.5		1.5						4.5				
11-12	7.5	8.0	10.0	3.5	5.5	7.5	4.5			2.5	3.5			7.0					8.0		10.5		
12-13	1.5						6.5	2.0		5.5		12.0		2.5		9.0			11.5	9.5		10.0	
13-14	4.5						8.5	4.0		1.5	7.0	11.5	8.0			5.5					4.5		11.5
14-15	7.5	10.5					2.0	6.0		4.5		11.0	3.5							3.5			8.0
15-16	1.5						4.0	8.0		0.5	10.0	10.0		9.0								11.5	4.5
16-17	4.5		1.5				6.0	1.5		3.5	3.0	9.5		4.5									
17-18	7.5						8.0	3.5		6.5		9.0	10.0			11.5		4.5					
18-19	1.5						1.5	5.5		2.5	6.5	8.5	5.5			8.0			6.0		10.0		
19-20	4.5		3.5				3.5	7.5		5.5		8.0	1.5			4.0			9.5	9.0			11.5
20-21	7.5						5.5	1.0	10.5	2.0	9.5	7.5		6.5							4.0	2.0	8.0
21-22	1.5						7.5	3.0		5.0	2.5	6.5		2.0							3.0		4.5
22-23	4.5		5.5	5.5	7.5	9.5	0.5	5.0	9.5	1.0		6.0	7.5					11.5					
23-24	7.5						2.5	7.0		4.0	6.0	5.5	3.0			10.0						3.5	
24-25	1.5						5.0		8.5			5.0		8.5		6.5							
25-26	4.0		7.5				7.0	2.5		3.0	9.0	4.5		4.0		3.0		3.0	3.5		9.5		11.5
26-27	7.0							4.5	7.5	6.0	2.5	4.0	9.5						7.5	8.5		5.0	8.0
27-28	1.0						2.0	6.5		2.0		3.0	5.0					11.0		3.5			4.5
28-29	4.0		10.0				4.0	8.5	6.0	5.0	5.5	2.5	1.0	10.5									
29-30	7.0						6.0	2.0		1.0		2.0		6.0		9.0						7.0	

	KW	V432	BETA	AE	AE	Y	RV	UZ	UZ	AV	U	V505	1968	RS	AO	CC	CC	RW	RZ	TY	WY	AC	AQ
	PER	PER	PER	PHE	PHE	PSC	PSC	PUP	PUP	PUP	SGE	SGR	SGR	SER	SER	SER	SER	TAU	TAU	TAU	TAU	TAU	TAU
MAX	10.5	11.0	2.2	7.5	7.5	9.0	11.3	9.7	9.7	10.2	6.4	6.4	12.3	10.8	10.6	11.1	11.1	8.0	10.5	11.5	11.5	10.5	12.0
MIN	11.5	11.7	3.5	8.2	8.2	12.0	12.0	10.6	10.3	10.8	9.1	7.6	13.3	11.5	12.1	11.7	11.7	12.5	11.2	12.0	11.7	12.3	12.9
DUR	4	3	8	2	2	7	3	4	4	3	6	5	4	4	4	4	4	4	3	2	4	6	5
TOT											2							1					
				(S)				(S)									(S)						
0- 1		5.5		8.0			5.0					2.0					3.0					6.5	7.0
1- 2			9.0	6.0			7.5				8.0	6.5		2.5			4.0				7.5		
2- 3		3.5		8.0			10.0			11.0			3.0						7.0			7.5	
3- 4		7.5			5.5										3.5					6.0	9.0		
4- 5			6.0		7.5		2.0	12.0						2.0					9.0	7.5		8.5	
5- 6	11.5	5.5		5.5			4.5									1.0	11.0			9.5	11.0		
6- 7	10.0	9.0		7.5			7.0		11.5				1.5			1.5				11.5		9.5	9.0
7- 8	8.5	3.5	2.5				9.5			11.0		4.5	4.5	2.0		2.5			6.5				
8- 9	7.0	7.0			7.5			11.5			2.5					3.0		5.5				10.5	
9-10	5.0						1.5									4.0			8.5				
10-11	3.5	5.0		7.0			4.0		11.0					2.0	4.0						7.5	11.5	
11-12	2.0	8.5					7.0						3.5		1.0								6.0
12-13		3.0		7.0	7.5	9.5	10.5			11.5									6.5		9.5		11.0
13-14		6.5					12.0					2.5		1.5			1.0						
14-15				7.0					10.5			6.5					1.5		8.0		11.5		
15-16		4.5					4.0						2.0				2.5						
16-17		8.0			6.5	2.0	6.5						5.0	1.5			3.0						
17-18		2.5					9.0			11.5							4.0		6.0	6.0			7.5
18-19		6.0		6.5			11.5				5.5				2.0					8.0			
19-20	11.0			8.5									0.5	1.0				7.0	8.0	9.5	7.5		
20-21	9.5	4.0			6.5		3.5					4.5	3.5							11.5			
21-22	7.5	7.5	10.5		8.5		6.0									1.0		10.0			9.5		
22-23	6.0			6.0			8.5			12.0				1.0			1.5		6.0				
23-24	4.5	5.5		8.5			11.5										2.5				11.5		9.5
24-25	2.5		7.5		6.0								2.5				3.0		7.5				
25-26	1.0	3.5			8.0		3.0							0.5	3.0	4.0							
26-27		7.5		6.0			6.0					2.5		5.5					9.5				
27-28			4.5	8.0		9.0	8.5			12.0									5.5				
28-29		5.5			5.5		11.0						1.0								8.0		6.5
29-30		9.0			8.0								4.0	5.0			1.0		7.5				11.5

	CT	EQ	EQ	HU	V	X	RS	RV	W	TX	TY	TY	UX	UX	VV	XZ	ZZ	AF	W	RU	VV	AH	AW
	TAU	TAU	TAU	TAU	TRI	TRI	TRI	TRI	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMI	UMI	VIR	VIR	VIR
MAX	10.2	10.3	10.3	6.0	10.9	8.9	10.3	11.4	9.1	6.8	11.7	11.7	12.7	12.7	10.1	10.1	9.8	10.8	8.6	10.7	11.7	9.7	10.8
MIN	11.5	11.0	11.0	6.8	11.9	12.0	11.0	12.5	9.9	8.9	12.4	12.4	13.8	13.8	11.0	11.7	11.2	11.6	9.7	11.4	13.5	10.2	11.9
DUR	5	3	3	6	4	4	4	4	3	6	3	3	1	1	3	3	4	8	7	4	4	4	3
TOT																							

	(S)			(S)																			
0- 1	7.5	7.0		11.5	10.5								3.0	2.0							11.5		
1- 2		7.5			10.0	12.0							1.5										
2- 3	7.5	8.0		5.5	9.0		6.0				2.0			1.0		4.0					1.5		
3- 4			4.5	9.5	8.5	9.5					3.5	0.5						10.0	2.5		0.5	1.0	
4- 5	7.5		5.0		8.0							0.5	5.0	7.5		11.5					4.0		
5- 6			6.0	3.5	7.0	7.5	6.5					2.0	4.5						2.5	5.0			
6- 7	7.5		6.5	8.0	6.5							3.5	4.0	9.0			3.5			6.5	0.5		
7- 8			7.0	12.0	6.0	5.5					1.0		4.0	1.5						7.5			
8- 9	7.5		7.5	2.0	5.0		7.0					2.5	3.5		10.5					8.5			
9-10			8.0	6.0	4.5	3.0						4.0		3.0	10.0	1.5				10.0			1.0
10-11	7.5	4.5		10.0	3.5							1.5	2.5		12.0				5.0	11.0	1.0		
11-12		5.0			3.0		7.0					3.0		2.0			9.0	9.5					
12-13	7.5	5.5		4.0	2.5								2.0										1.0
13-14		6.5		8.5						1.0	1.5			1.5									2.0
14-15	7.5	7.0					7.5				3.0		1.0								3.0	1.5	0.5
15-16		7.5		2.5										0.5	7.5				7.5	4.5			
16-17	7.5	8.0		6.5									2.0	5.0							5.5		
17-18			4.5	10.5				8.0					3.5	4.5	9.0						7.0		
18-19	7.5		5.0					2.0			1.0			4.0	1.5	6.5					8.0		
19-20			5.5	5.0	5.0						2.5		3.5		10.5						9.0		
20-21	7.5		6.0	9.0				8.5			4.0			3.5	10.0				10.0	10.5			0.5
21-22			7.0	6.5				2.5				1.0	3.0		12.0						11.5		
22-23	7.5		7.5	3.0		12.0							2.5	2.5					3.0				
23-24			8.0	8.0	7.0			8.5				4.0	2.0								1.5		
24-25	7.5	4.5		11.0			9.5	2.5	7.0		1.5			1.5							2.5		
25-26		5.0		9.5				7.0		3.0			1.5			4.0					4.0	0.5	
26-27	7.5	5.5		5.5		7.5	9.0	7.0						1.0	7.5						5.0		1.0
27-28		6.0		10.5	9.5			3.0	7.5			2.0				11.0	4.5	5.5			6.0		
28-29	7.5	6.5				5.5		7.5				3.5	5.0		9.0						7.5		
29-30		7.5		12.0	3.5			9.5	7.5		0.5			4.5	1.5						8.5		

	AW	AX	AZ	AZ	BH	MS	NY	Z	AW	AY	BE	BO	BS	BT	BU	CD	V495	V495
	VIR	VIR	VIR	VIR	VIR	VIR	VIR	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL
MAX	10.8	10.0	11.0	11.0	9.9	9.4	13.3	7.4	10.8	11.0	9.9	10.4	11.0	11.8	10.6	11.5	9.6	9.6
MIN	11.9	10.8	11.8	11.8	11.3	9.7	14.2	9.2	11.9	12.9	11.4	13.3	11.5	12.5	11.4	12.6	10.0	10.0
DUR	3	4	3	3	4	3	1	6	5	4	5	4	3	3	3	4	4	4
TOT	(S)			(S)														(S)
0- 1	0.5						0.5		8.5				4.5		8.5			
1- 2							1.0		4.0	5.5	1.0		3.5			9.0		
2- 3				1.0			1.0						2.5		1.5	1.5	8.5	
3- 4							1.5						1.0		4.5			5.5
4- 5									9.5		3.5			1.0	8.0	2.5		
5- 6									4.5					4.5				
6- 7	1.0		1.5							1.0		8.5		8.0	1.0	3.5		
7- 8											6.0		8.0		4.0		6.0	
8- 9												7.5	7.0		7.5	5.0		3.5
9-10				0.5				7.5	5.5				5.5					
10-11				2.0			0.5		1.0		8.5	6.0	4.5			6.0		
11-12						1.0	1.0						3.5		4.0			
12-13	1.5						1.0					5.0	2.0	1.0	7.0	7.5	4.0	
13-14		1.0	1.0				1.5		6.0	7.0			1.0	4.5				1.0
14-15								5.5	1.5			3.5			7.5			
15-16															3.5	1.0		
16-17				0.5		1.0						2.0			6.5			7.5
17-18				1.5					7.0				8.0		10.0	2.5	1.5	
18-19									2.5	2.5	2.5	1.0	6.5					
19-20								3.5					5.5		3.0	3.5		
20-21			1.0				0.5						4.5	0.5	6.5		8.0	
21-22					1.5	1.0	1.0		8.0		5.0		3.5	4.0	9.5	4.5		5.5
22-23							1.0		3.0				2.0	7.5				
23-24	1.0						1.5						1.0		2.5	6.0		
24-25				1.5				1.0			7.5				6.0			
25-26									8.5	8.0					9.0	7.0	5.5	
26-27						1.0			4.0									3.0
27-28			1.0										8.0		2.0	8.5		
28-29													6.5		5.5	1.0		
29-30	1.0								9.5				5.5	3.5	9.0	9.5		