

	V343	V346	RX	SS	SS	RY	SX	TT	WW	WW	AP	AP	AR	AR	CL	EM	EP	HP	HP	IM	V459	V459	SS	
	AQL	AQL	ARI	ARI	ARI	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	AUR	BOO
MAX	10.6	9.0	9.4	10.1	10.1	11.7	8.2	8.7	5.7	5.7	10.9	10.9	6.0	6.0	11.7	11.0	10.8	10.8	10.8	7.9	7.7	7.7	10.3	
MIN	12.3	10.4	9.9	11.1	11.1	14.0	9.0	9.7	6.4	6.4	11.4	11.4	6.7	6.7	13.2	11.9	11.3	11.5	11.5	8.5	8.1	8.1	11.0	
DUR	4	4	4	3	3	6	4	5	5	5	4	4	5	5	4	4	3	3	3	4	4	4	18	
TOT																							6	
					(S)					(S)		(S)		(S)					(S)			(S)	(3)	
0- 1			8.0	0.5	5.5		4.0				3.5	10.5					2.0		5.5			5.5		
1- 2			9.0	6.0	1.0	6.5	9.5				6.5				4.0	9.0	6.5					7.0		
2- 3	1.5		9.5	1.5	6.5			1.5			10.0	3.0			9.5		11.0	8.5				8.5		
3- 4			10.0	6.5	2.0			9.5		6.5		6.5				4.5			2.0	2.0	10.0			
4- 5		0.5	11.0	2.0	7.0				13.0		3.0	10.0					5.5		12.0	8.0	11.5			
5- 6		3.0		7.5	2.5		0.5				6.5						10.0	5.0						
6- 7				3.0	7.5		5.5	1.5			9.5				3.5									
7- 8				8.0	3.0		10.5	9.5				6.0			9.0		4.5		8.0				3.5	
8- 9				3.5	8.5					7.5		9.5					9.0	1.5		2.0			5.0	
9-10				9.0	4.0	10.5					6.0	13.0		2.0					11.5		8.0		6.5	
10-11				4.5	9.0			1.5			9.5					11.5	3.5		4.5				8.0	
11-12				9.5	4.5		1.5	9.0			12.5	6.0	3.5		2.5		7.5						9.5	
12-13				5.0	0.0	4.0	6.5		2.5			9.0			8.5	7.5	12.0	8.0					11.0	
13-14	3.0			0.5	5.5		11.5			9.0	5.5	12.5		5.0			2.5		1.0	1.5			12.5	
14-15				5.5	1.0			1.0			9.0					3.0	6.5		11.0	7.5				
15-16		2.0		1.0	6.0			9.0			12.5	5.5	7.0				11.0	4.0					2.5	
16-17		4.5		6.5	1.5							9.0			2.0								4.0	
17-18				2.0	7.0		3.0		4.0		5.5	12.0		8.5	8.0		5.5		7.5				5.5	
18-19				7.0	2.5		8.0	1.0		10.0	8.5						10.0			1.5	7.0			
19-20				2.5	7.5		13.0	9.0			12.0	5.0	10.0					10.5		7.0	8.5			
20-21				8.0	3.0	8.5						8.5					4.5		3.5				10.0	
21-22				3.5	8.0						5.0	12.0		11.5	1.5	10.0	9.0						11.5	
22-23				8.5	3.5			1.0	5.0		8.5					7.5		7.0						
23-24				4.0	9.0	1.5	4.0	9.0		11.5	11.5	5.0				5.5	3.5			1.0				
24-25			0.5	9.5	4.5		9.0					8.0					8.0		10.0	7.0			3.5	
25-26		1.0	1.0	5.0	9.5						4.5	11.5				1.5	12.0	3.0		13.0			5.0	
26-27	1.0	3.5	2.0	0.5	5.0			1.0			8.0				1.0		2.5						6.5	
27-28			2.5	5.5	0.5			9.0	6.0		11.5	4.5			7.0		6.5		6.5				8.0	
28-29			3.5	1.0	6.0	12.5				12.5		8.0			13.0		11.0			1.0			9.5	
29-30			4.0	6.0	1.5		5.0				4.5	11.0						9.5		6.5			11.0	

	TY	TY	TZ	TZ	UW	AD	AD	Y	SV	AL	CD	CD	R	RT	SX	TU	TZ	TZ	UU	XZ	YY	AC	AK	
	BOO	BOO	BOO	BOO	BOO	BOO	BOO	CAM	CAM	CAM	CAM	CAM	CMA	CMA	CMA	CMA	CMA	CMA	CMA	CMA	CMI	CMI	CMI	
MAX	11.8	11.8	10.6	10.6	10.4	9.8	9.8	10.6	8.6	10.5	11.6	11.6	6.2	11.4	10.3	9.7	9.8	9.8	10.0	9.7	8.5	11.0	10.1	
MIN	12.3	12.3	11.1	11.1	11.4	10.4	10.2	12.4	9.4	11.3	11.8	11.8	6.8	12.9	11.4	10.7	10.5	10.5	12.5	10.2	9.1	11.5	11.5	
DUR	3	3	3	3	3	4	4	6	3	5	5	5	4	5	4	4	4	4	5	3	4	3	4	
TOT		(S)		(S)		(S)					(S)						(S)							
0- 1				0.0					5.0		6.5		12.0			12.0					7.0	10.0	9.5	
1- 2	0.0		1.0						9.5		0.5	10.0							8.0	6.0	9.0	6.5	12.5	
2- 3										3.5		4.0								10.0	11.5			
3- 4									4.5	11.5	7.5			11.0	7.5				12.0				5.0	
4- 5		0.5	0.5						8.5		2.0	11.0											8.5	
5- 6				1.5								5.5									7.5		11.5	
6- 7									3.5	3.0	9.0									11.0		11.5		
7- 8	1.0								8.0	11.0	3.5	12.5	7.5	8.0		6.5						8.5		
8- 9				0.5					12.5			7.0	11.0			9.5						5.0	7.5	
9-10							6.0	2.5		10.5	1.0					12.5				8.5			10.5	
10-11								7.0	3.0	4.5										12.5				
11-12								11.5	10.5			8.0		5.0	10.5									
12-13			1.0		9.0				2.0		11.5	2.5		12.0			13.0				6.0	7.5	6.5	
13-14					9.0				6.0		6.0										10.0	10.0	10.0	9.5
14-15	0.5				9.5		11.5		10.5	2.5	0.5	9.5						12.0	8.0		12.0	7.0	13.0	
15-16			0.0		9.5	12.0			1.0	10.5		4.0	6.5											
16-17				1.0	9.5		13.0		5.5		7.5		9.5	9.5	7.0	7.0	8.5		12.0	7.5			5.5	
17-18		0.5			9.5				10.0		2.0	11.0	13.0			10.0					11.0		9.0	
18-19					10.0				0.0	2.0		5.5						8.0					12.0	
19-20				0.5	10.0			4.0	4.5	10.0	9.0											11.5		
20-21	1.0				10.0				9.0		3.0	12.5		6.5							8.5		8.5	
21-22					10.0							6.5									12.5		5.5	8.0
22-23					10.5		11.0	3.5	2.0	10.0	1.0												11.0	
23-24			0.5		10.5				8.0	9.5	4.5										6.0	6.0		
24-25		0.0			10.5				12.5			8.0	8.5		10.0						9.5	8.5		
25-26					10.5				3.0		11.5	2.5	11.5	10.5		7.5						10.5	7.0	
26-27			0.0		10.5				7.5	1.5	6.0					10.5						13.0	10.0	10.0
27-28	0.5			1.0	11.0				12.0	9.5	0.0	9.5							8.0	7.0		7.0		
28-29					11.0				2.0		13.0	3.5									11.0			
29-30					11.0		2.0	6.5		7.0				8.0	7.0				12.0				6.0	

	AM	AM	TY	RZ	TV	TW	ZZ	AB	CW	CW	DZ	GT	IR	IS	IT	IV	MM	OR	OX	OX	PV	V364	V364
	CMI	CMI	CAP	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS	CAS
MAX	10.0	10.0	10.5	6.4	7.3	8.3	10.7	10.2	11.8	11.8	11.6	11.9	10.8	11.6	11.0	11.2	11.3	11.4	10.1	10.1	10.0	11.2	11.2
MIN	10.7	10.4	11.6	7.8	8.4	8.9	11.1	12.2	12.5	12.5	12.3	12.8	12.1	12.6	11.8	12.5	11.9	12.4	10.9	10.9	10.6	11.7	11.7
DUR	5	6	4	4	4	5	4	4	3	3	4	5	4	5	5	5	5	4	5	5	3	4	4
TOT																							
		(S)								(S)										(S)			(S)
0- 1		11.5					5.0		6.5	2.5		3.5			5.0	0.0	9.0	10.0	5.0		0.0	3.5	
1- 2		12.0	0.0				11.0		5.5	1.5			8.0	4.5						11.0			
2- 3		12.5				1.5			4.5	0.5	8.0		0.5										11.0
3- 4		13.0		3.5		11.5		7.5	3.5	7.0	3.0	3.5	9.0	0.5								5.5	
4- 5				8.0					2.5	6.0			1.5		2.5			4.0					0.0
5- 6				12.5	9.5		4.5		1.5	5.0	11.5		10.5				0.5	10.0	4.5		6.0		
6- 7						8.0	10.0	1.5	0.5	4.0	6.5	3.0	2.5				4.0			10.5		8.0	
7- 8					5.0			10.0	7.0	3.0	1.0						8.0				0.0		2.5
8- 9			3.0						6.0	2.0			3.5		0.0		12.0						
9-10				2.5	0.5	5.0			5.0	1.0	9.5	3.0						3.5				10.0	
10-11				7.5			3.5	3.5	3.5	7.5	4.5		4.5	9.5				9.5	4.0				4.5
11-12				12.0			9.5	12.5	2.5	6.5										10.0			
12-13						1.5			1.5	5.5		2.5	5.5	5.5								6.0	12.0
13-14						11.5			0.5	4.5	8.0						3.0						6.5
14-15	6.0				11.0			6.0	7.0	3.5	2.5		6.5	2.0			7.0	3.0			0.0	1.0	
15-16	6.5			2.0			3.0		6.0	2.5		2.5				10.5	9.0	3.5					
16-17	6.5			7.0	6.5	8.0	9.0		5.0	1.5	11.0		7.5							9.5			8.5
17-18	7.0			11.5					4.0	0.5	6.0											3.0	
18-19	7.5		2.0		2.0			8.5	3.0	7.0	1.0	2.0	8.5										
19-20	8.0					4.5			2.0	6.0			1.0					2.5			6.5		10.5
20-21	8.5						2.5		1.0	5.0	9.5		9.5			2.0	8.5	3.0				5.0	
21-22	9.0			1.5			8.5	2.0	7.5	3.5	4.5	2.0	2.0	10.5			5.5			9.0	0.5		
22-23	9.5			6.0		1.5		11.0	6.5	2.5			10.5				9.5						
23-24	10.0			11.0	12.5	11.5			5.5	1.5			3.0	7.0									7.0
24-25	10.5								4.5	0.5	7.5	1.5						2.5					1.5
25-26	11.0				8.0		2.0	4.5	3.5	7.0	2.5		4.0	3.0				8.0	2.5				
26-27	11.5					8.0	7.5		2.5	6.0										8.5	6.5	9.0	
27-28	12.0			1.0	3.5				1.5	5.0	11.0	1.5	5.0				0.5						4.0
28-29	12.5		1.0	5.5					0.5	4.0	6.0						4.5				0.5		
29-30	12.5			10.5		4.5		7.0	7.0	3.0	0.5		6.0				8.0	2.0					11.5

	V375	V380	U	SU	WW	WZ	WZ	XX	ZZ	DK	DL	DV	EG	EK	GK	SS	TT	TW	TW	TX	SS	SS	U
	CAS	CAS	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CEP	CET	CET	CET	CET	CET	COM	COM	CRB
MAX	10.1	10.4	6.7	8.8	11.1	11.7	11.7	8.5	9.3	12.2	12.4	11.6	9.6	8.2	6.9	9.4	10.8	10.4	10.4	10.9	10.9	10.9	7.6
MIN	10.9	11.1	9.8	9.8	11.9	11.3	11.1	9.6	10.0	14.2	13.2	12.4	10.6	9.5	7.4	13.0	11.3	11.2	11.2	11.5	11.5	11.5	8.8
DUR	5	5	4	4	4	3	3	4	5	4	5	4	3	6	4	5	3	3	3	4	4	4	5
TOT			2													2							1
								(S)												(S)			(S)
0- 1		2.0				8.0	3.0			2.5		6.5	8.0					7.0	3.5				
1- 2		10.5				4.0	9.0			2.0		10.5	10.0			3.0		6.0	2.0	5.0			
2- 3	9.5		2.5			0.0	5.0		0.5	2.0			12.0				8.5	4.5	1.0				
3- 4						6.0	1.0	5.0		1.5	5.0		1.0				8.0	3.5	7.5				1.0
4- 5		3.5				2.0	7.0		4.0	1.0			3.5			2.5	7.0	2.5	6.0	4.0			
5- 6	8.0	12.0		9.0		8.0	3.0			1.0			5.5	13.0			6.5	1.0	5.0				
6- 7				6.5		4.0	9.0		7.5	0.5		2.0	7.5	11.5			5.5	7.5	3.5	9.5		10.0	11.5
7- 8			2.0	4.0		0.5	5.5			0.0		5.5	10.0	10.0	2.0	5.0	6.5	2.5	3.0				
8- 9	7.0	5.0		2.0	3.5	6.5	1.5		11.0		2.5	9.5	12.0	9.0	8.5		4.5	5.0	1.5				
9-10						2.5	7.5						1.0				7.0						8.5
10-11						8.5	3.5	5.0					3.0		5.5	1.0	3.0	3.0	6.5	2.5			
11-12	5.5					4.5	9.5				9.0		5.0		4.0		2.5	1.5	5.5				
12-13		7.0	2.0			0.5	5.5						7.5		2.0		1.5		4.0	7.5	9.5		
13-14						6.5	1.5					1.0	9.5		0.5	0.5	1.0	7.0	3.0	1.5			
14-15	4.5			9.0		2.5	7.5					5.0	11.5				0.5	5.5	2.0				
15-16		0.0		7.0		8.5	3.5					9.0	0.5					4.5		7.0			
16-17		8.5		4.5		4.5	9.5				6.0	13.0	3.0					3.5	7.0	0.5			
17-18	3.0		1.5	2.0	8.5	0.5	5.5	5.5	0.5				5.0	5.5				2.0	6.0				
18-19						7.0	1.5						7.0						1.0	4.5	6.0		
19-20		2.0				3.0	8.0		4.0				9.5				8.5	7.5	3.5				
20-21	2.0	10.5				9.0	4.0					0.5	11.5		12.5		8.0	6.0	2.5				
21-22						5.0	10.0		7.0		3.5	4.5	0.5		11.0		7.5	5.0	1.0	5.0			
22-23			1.0			1.0	6.0						8.0	2.5	9.5		6.5	4.0	7.5				
23-24	0.5	3.5		9.5		7.0	2.0		10.5				12.0	5.0	8.0		6.0	2.5	6.5				
24-25	12.0	12.0	13.0	7.0		3.0	8.0	6.0			10.0		7.0		6.5		5.5	1.5	5.0	4.0			
25-26				5.0		9.0	4.0						9.0		5.0		4.5		4.0			9.5	
26-27				2.5		5.0	0.0			1.0			11.0	2.0	3.5		4.0	6.5	3.0	9.5			
27-28	10.5	5.0	1.0	0.0		1.0	6.0						0.5		1.5		3.0	5.5	1.5	3.5			
28-29						7.0	2.0					3.5	2.5		0.0		2.5	4.5					
29-30			12.5			3.0	8.0				7.5	7.5	4.5				2.0	3.0	7.0	8.5			

	RW	TW	RV	V	SW	WW	ZZ	AE	BR	CG	DK	KR	KV	V346	V387	V388	V401	V456	V466	V466	V477	V548	V704
	CRB	CRB	CRV	CRT	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG	CYG
MAX	10.1	10.5	9.0	9.5	9.3	9.9	10.7	11.8	9.4	11.0	10.3	9.2	11.5	11.8	11.5	9.7	10.8	10.8	10.8	10.8	8.3	8.9	13.8
MIN	10.6	11.3	10.0	10.2	11.8	13.2	12.0	12.8	10.5	11.8	10.8	10.0	12.6	13.6	12.3	10.3	11.6	11.9	11.6	11.6	9.2	9.7	14.6
DUR	4	4	4	4	5	5	4	4	4	3	4	4	5	5	3	3	4	3	4	4	4	5	4
TOT					2																		

	(S)																						
0- 1							6.0									0.5		4.0			5.5	2.5	5.5
1- 2															5.0			1.5	0.0				
2- 3								3.5	5.0	5.0	7.0	2.5					1.0						
3- 4		1.0			6.5	5.0					5.5				3.0					2.0			2.0
4- 5	0.0			12.5			0.5			2.5	4.5												5.5
5- 6							7.0				3.0			1.0	4.5				4.0				
6- 7									5.0		1.5					1.0	3.0						
7- 8							4.0			6.0	0.0	4.0											2.0
8- 9			13.0									0.5		0.0	6.0			4.5					5.0
9-10	12.5		10.5				1.5			3.5							1.0	2.0				3.5	
10-11									5.0		7.0				4.0		5.0			1.0			
11-12			12.5	13.0						1.0	5.5	5.0				4.5							1.5
12-13							4.5				4.5				2.0	1.5			3.0				5.0
13-14		1.5				4.0					3.0	2.0					2.5						
14-15			12.5				2.0		5.0	4.5	1.5		1.0		0.5					5.5			
15-16											0.0				7.0								1.5
16-17		0.0		11.0						2.0				5.5			0.5	5.0					5.0
17-18			12.0				5.5	6.0							5.0	5.0	4.5	2.5		0.0			
18-19	13.0							5.5	5.0		7.0	3.5				1.5						4.0	
19-20		13.0					2.5	4.5		6.0	6.0				3.5				2.0				1.5
20-21			11.5							4.0	4.5						2.5						5.0
21-22										3.0	3.5	3.0				1.5							
22-23							6.0	2.5	5.0		1.5												
23-24			11.5			2.5		1.5		1.0	0.0	5.5			5.5	0.5							1.5
24-25							3.5	1.0				1.5			6.5	2.0	4.5	5.5					4.5
25-26								0.0									3.0						8.0
26-27	12.5	0.5		3.0			0.5		5.0	4.5	7.0				4.5			0.0	1.0		1.0		
27-28							7.0				6.0			5.0			2.5					4.5	1.0
28-29										2.0	4.5		5.5		2.5					3.5			4.5
29-30							4.0				3.0	3.5					5.5						8.0

	1034	W	TT	TY	YY	FZ	Z	RZ	TW	UZ	UZ	AI	BH	S	TZ	YY	YY	RW	SX	TX	WW	AF	AL
	CYG	DEL	DEL	DEL	DEL	DEL	DRA	DRA	DRA	DRA	DRA	DRA	DRA	EQU	ERI	ERI	ERI	GEM	GEM	GEM	GEM	GEM	GEM
MAX	9.6	9.4	10.6	9.6	11.0	10.2	10.8	10.0	7.8	9.9	9.9	7.2	8.0	8.0	9.8	8.4	8.4	9.6	10.8	10.0	9.8	10.2	9.3
MIN	10.6	12.7	12.5	10.8	12.0	11.3	13.6	10.9	9.5	10.7	10.7	8.2	8.6	10.0	12.6	9.1	9.1	11.6	11.7	11.9	10.5	11.3	10.0
DUR	4	7	5	4	4	3	4	3	5	5	5	4	5	5	4	3	3	5	5	6	4	4	4
TOT		2							1						1			1					

	(S)											(S)											
0- 1								6.5							4.0		6.0					10.0	
1- 2		1.0					6.0			4.5			7.0				5.0				8.0		
2- 3					2.5			11.5	10.0			0.0					4.0		11.5				
3- 4						2.5		0.5					2.5			7.0	3.0			11.0			9.5
4- 5	5.0							3.0		11.0						6.0						3.5	
5- 6	4.5			4.5			8.0	5.5	5.0						9.5	5.5			5.0			9.5	
6- 7	4.0				2.0						2.0					4.5				6.0	7.0		4.5
7- 8	3.5					0.5										3.5	7.5				12.5		
8- 9	3.0						1.0	13.0	0.5							3.0	6.5						
9-10	2.5						9.5	2.0				8.5					6.0		7.5				
10-11	2.0		5.0		1.0	3.5		4.5									5.0	10.5				8.5	8.5
11-12	1.5			3.5				7.0									4.0				5.5		
12-13	0.5						3.0						4.5			7.0	3.5				11.5		
13-14	0.0		2.0				11.5	12.0							5.0	6.5	2.5	7.5	10.0				
14-15					0.0	1.5		1.0		5.5			0.5			5.5							12.5
15-16								3.5				4.5				4.5						8.0	
16-17							4.5	6.0	10.5							3.5	7.5	4.0	3.5		4.5		
17-18			2.0	4.5	4.5					12.0				3.5		3.0	6.5		12.5	11.0	10.0		7.5
18-19															10.0		6.0						
19-20								0.0	6.0		3.0						5.0						
20-21							6.5	2.5									4.0		6.0	6.0		7.5	
21-22					3.5	2.5		5.0				4.5	6.5			7.0	3.5				3.5		11.5
22-23									1.5		9.5					6.5	2.5				9.0		
23-24				1.0									2.5			5.5							
24-25							8.0	12.0		0.5				0.5		4.5			8.5				6.5
25-26		2.0			2.5	0.5		1.5								4.0	7.5					7.0	
26-27								4.0							5.5	3.0	7.0					12.5	
27-28							1.0	6.5		7.0		4.0					6.0				8.0		
28-29						4.0	10.0										5.0		11.0				10.5
29-30				0.0	2.0			11.0									4.0						

	Z	RX	SZ	TT	TU	UX	CT	DI	HS	HS V728	WY	WY	AV	DF	DI	DK	SW	SW	VX	AR	AW	CM	
	HER	HER	HER	HER	HER	HER	HER	HER	HER	HER	HER	HYA	HYA	HYA	HYA	HYA	LAC	LAC	LAC	LAC	LAC	LAC	
MAX	7.3	7.1	10.2	9.7	10.6	8.9	9.9	8.4	8.5	8.5	10.9	10.3	10.3	10.2	11.0	11.0	10.5	9.2	9.2	10.9	7.3	10.6	8.5
MIN	8.2	7.7	12.0	10.4	13.4	9.8	11.2	9.1	9.0	9.0	11.5	11.1	11.1	10.6	11.5	12.0	11.0	10.0	10.0	12.3	8.2	11.3	9.5
DUR	8	5	4	4	5	5	4	6	4	4	3	3	3	4	4	4	4	3	3	4	6	5	4
TOT					1																2		
								(S)		(S)			(S)		(S)				(S)				
0- 1				0.5					3.0			10.0		12.5			1.0	4.5				5.0	
1- 2												12.0					0.5	4.0					
2- 3															9.5		7.0	3.0					
3- 4												7.0					6.0	2.0			0.5		
4- 5						0.5							8.5				5.5	1.0	1.5		4.0		
5- 6									1.0		3.0	10.5		7.5		11.0	4.5	0.0	3.0		7.5	0.5	
6- 7											1.5	12.0					3.5	7.0	5.0				
7- 8											0.0			8.5		7.5	9.0	2.5	6.0	6.5			
8- 9			2.0									7.0			13.0	10.0	1.5	5.0	8.5			5.5	
9-10										4.0			9.0	10.0			11.0	0.5	4.0				
10-11				1.5								10.5				9.0	12.5	7.5	3.5				
11-12												12.5	11.0	8.0			6.5	2.5			0.5		
12-13														7.5			5.5	1.5			4.0		
13-14											3.5	7.5		12.0	7.5	11.0	5.0	0.5			7.5	1.0	
14-15										2.0	2.0	9.0			7.5		4.0	7.5					
15-16		2.0			0.5						0.5	11.0			7.0		3.0	6.5					
16-17							1.0						12.5		7.0	12.5	2.0	5.5				6.0	
17-18			2.0										6.0		7.0		1.0	4.5					
18-19									3.5			7.5		7.0	6.5	9.0	0.5	3.5	0.5				
19-20													9.5			9.0	7.0	3.0	2.5		0.5		
20-21												11.0		8.0			10.5	6.0	2.0	4.0		4.0	
21-22	2.5			0.0		1.5					3.5				11.0	11.5	5.5	1.0	6.0	8.5	7.5	1.5	
22-23											2.0		6.0	9.5			12.5	4.5	0.0	7.5			
23-24							0.5	1.5			1.0	8.0					3.5	7.0		8.0			
24-25					2.5								9.5	10.5		12.5	2.5	6.0				7.0	
25-26	2.5											11.5					1.5	5.0		8.0			
26-27			2.0											12.0		9.0	0.5	4.0					
27-28													6.5				7.5	3.5		7.5	0.5		
28-29												8.0					6.5	2.5			4.0		
29-30	2.0												10.0			10.5	5.5	1.5		7.0	7.5	2.5	

	CO	CO	DG	GX	Y	UU	UV	VZ	WZ	XY	XZ	AM	T	Z	RR	RY	UZ	EW	FL	RU	RU	RW	AT
	LAC	LAC	LAC	LAC	LEO	LEO	LEO	LEO	LEO	LEO	LEO	LEO	LMI	LEP	LEP	LYN	LYR	LYR	LYR	MON	MON	MON	MON
MAX	10.5	10.5	10.8	10.1	9.5	11.4	9.5	10.6	11.3	9.5	10.6	9.2	10.2	11.0	10.2	11.9	9.8	11.2	8.7	10.6	10.6	9.1	10.6
MIN	11.0	11.0	12.0	10.4	12.7	12.7	10.2	11.7	12.0	9.9	11.2	9.8	12.6	12.5	10.9	13.3	11.0	13.6	9.5	11.3	11.3	11.9	11.4
DUR	5	5	4	6	5	4	3	4	5	2	3	3	6	4	4	4	5	5	4	5	5	5	5
TOT																							1
		(S)																					(S)
0- 1		5.0	1.5					9.5							12.0	13.0							
1- 2								11.5	6.5		11.5		12.5		10.0								
2- 3			6.5				12.0				11.0				8.0								
3- 4		7.0									10.5				6.0	10.0	5.0						
4- 5	2.0				7.0						9.5		13.0		4.0								
5- 6							12.0		12.0		9.0						2.0						
6- 7		9.0									8.5		12.0			6.5							
7- 8	4.0					7.0					8.0		12.0									12.0	
8- 9							12.0		7.5	7.0	7.5		12.0										
9-10		11.0			8.0						7.0		11.5						3.5				9.5
10-11	6.0			7.0									11.5										
11-12			2.5				12.0	7.0				8.5		11.5	11.5						9.0	7.5	
12-13						7.5		9.5	13.0					11.5	9.5			4.0					
13-14	8.0		7.0					11.5						11.0	7.5	11.0						5.0	6.0
14-15		2.0			9.5		12.0							11.0	5.5			2.5					
15-16									8.5					11.0									6.5
16-17	10.0													10.5		8.0		1.5					
17-18		4.0				8.5	12.0							10.5						8.0			7.5
18-19														10.5				0.5			13.0		
19-20					11.0									10.0		4.5							8.0
20-21		6.0					12.0							10.0			5.5		1.0				
21-22	1.0										11.5			10.0									8.5
22-23			3.0			9.5			9.5		11.0			10.0	11.5		2.5		5.0				
23-24		8.0		0.5			12.0	7.0			10.0			9.5	9.5	12.0							9.5
24-25	3.0		8.0		12.5			9.0			9.5			9.5	7.0		0.0			12.0			
25-26								11.0			9.0			9.5	5.0								10.0
26-27		10.0					12.0				8.5	8.5		9.0		9.0							
27-28	5.0					10.5					8.0			9.0									10.5
28-29											7.5			9.0									
29-30				9.0			12.0		10.5					8.5		6.0					7.0		11.5

	BB	BO	EP	V501	V508	V839	EF	EF	EQ	ER	ER	ET	FH	FL	FR	FT	FZ	FZ	GU	GU	U	U	TY
	MON	MON	MON	OPH	OPH	OPH	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	ORI	PEG	PEG	PEG
MAX	10.6	10.8	10.5	10.9	10.1	8.8	12.6	12.6	10.3	9.5	9.5	11.2	10.5	10.5	11.0	9.1	10.7	10.7	12.6	12.6	9.7	9.7	10.5
MIN	11.3	12.1	11.1	11.8	10.7	9.4	14.1	12.8	13.3	10.2	10.2	12.4	11.5	13.2	11.9	9.7	11.3	11.3	13.5	13.5	10.5	10.5	12.6
DUR	4	5	5	4	3	3	6	6	4	3	3	5	5	3	4	4	3	3	4	4	3	3	6
TOT		1																					

							(S)			(S)							(S)		(S)			(S)	
0- 1				1.5			12.5		8.5	3.5		6.0	12.5	11.0			6.0	10.0	4.5	8.0	3.5		
1- 2	12.0			2.0					9.5	4.5	2.5				9.5		6.0		8.5		2.0	6.5	
2- 3	5.5		6.5				11.0	6.0	6.0						7.0			6.0	7.5		5.0	0.5	
3- 4			10.0			1.0	6.0				7.5		8.0	4.0			6.0		6.0		8.0	3.5	
4- 5	10.5								9.0	3.5								6.0	4.5	10.0	2.0	6.5	
5- 6						2.0			5.0								6.0			8.5	5.0	0.5	
6- 7		9.5				12.0				6.5		6.0	10.5					6.0		7.5	8.0	3.5	
7- 8	8.5						7.5	12.0	8.0								6.0			6.0	2.0	6.5	
8- 9									4.5	9.5		9.5		11.5				6.0	10.0	4.5	5.0	0.5	
9-10				0.5				6.0		5.5				8.5		6.0			8.5		8.0	3.5	2.0
10-11	7.0		7.5	1.5					7.0					5.5				6.0	7.5		2.0	6.5	
11-12			11.0	2.0		8.5			3.5	8.5							6.0		6.0		5.0	0.5	
12-13	12.0				1.0		4.0		10.0	5.0	12.5							6.0	4.5	10.0	8.0	3.5	4.5
13-14	5.5								6.0		11.0							6.0		8.5	2.0	6.5	
14-15					2.0			11.5		7.5	10.0		5.0					6.0		7.5	5.0	0.5	
15-16	10.0	7.0						9.5	9.0	4.0	9.0				13.0			6.0		6.0	8.0	3.5	6.5
16-17						5.0		5.5	5.5		7.5			10.0	5.0			6.0	10.0	4.5	2.0	6.5	
17-18		12.5								6.5	6.5		7.5	7.0				6.0		9.0	5.0	0.5	
18-19	8.5		8.0						8.0		5.5			4.5				6.0	7.5		8.0	3.5	
19-20			12.0	0.5		11.0			4.5	9.5	4.0	4.0				8.5	6.0		6.0		2.0	6.5	
20-21				1.5			6.5			6.0	3.0		9.5						6.0	4.5	10.0	5.0	0.5
21-22	7.0			2.0	1.0			11.0	7.5			7.5								9.0	8.0	3.5	
22-23									3.5	8.5						12.0			6.0		7.5	2.0	6.5
23-24	11.5				2.0		12.0	5.0	10.0	5.0		11.0	12.0	11.5				6.0		6.0	5.0	0.5	
24-25	5.0					7.5			6.5					9.0					6.0	10.0	4.5	8.0	3.5
25-26			5.5	3.0						8.0				6.0					6.0	9.0	3.0	2.0	6.5
26-27	10.0	10.0	9.0	2.0					9.0	4.0				3.0					6.0	7.5		5.0	0.5
27-28			12.5	1.0					5.5										6.0	6.0		8.0	3.5
28-29				0.5			8.5	11.0		7.0			4.0						6.0	4.5	10.0	2.0	6.5
29-30	8.5				0.5	4.0			8.5										6.0	3.0	9.0	5.0	0.5

	UX	AQ	AQ	AQ	BB	BB	BG	BX	DI	GP	KW	KW	Z	RT	RV	ST	XZ	IQ	IQ	IT	IU	KW	V432
	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PEG	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER
MAX	10.7	10.3	10.3	10.3	10.6	10.6	10.5	10.9	9.6	10.2	12.1	12.1	9.9	10.6	10.3	9.7	10.6	7.7	7.7	9.9	10.5	10.5	11.0
MIN	12.0	13.0	13.0	13.0	11.2	11.2	11.8	11.5	10.8	11.0	12.4	12.4	12.4	12.0	12.7	13.2	12.7	8.3	7.9	10.5	11.6	11.5	11.7
DUR	5	12	12	12	3	3	4	3	2	4	3	3	6	4	8	5	4	5	5	4	5	4	3
TOT		4	4	4					1				2			1							
		(2)		(3)		(S)						(S)							(S)				
0- 1		2.0	4.0	6.0	1.5	6.0		0.5		6.5		2.5						5.5		12.0	11.0	8.5	4.5
1- 2					3.5			3.5		6.0				12.0	10.5	5.0	0.0		0.0		8.0	7.0	8.0
2- 3					6.0	1.5		6.5	2.5	5.5	3.5			8.0			3.5			0.5	4.5	5.5	2.5
3- 4						3.5		2.5		5.0				4.5	9.5		7.5				1.0	4.0	6.0
4- 5					1.0	5.5		5.5	6.0	4.5		4.5		1.0			11.0		12.0			2.0	0.5
5- 6					3.0			1.5		4.0					9.0			11.0		2.0		0.5	4.0
6- 7	0.5				5.0	1.0	7.5	4.5		3.0	5.5					12.0			5.5		11.0		7.5
7- 8						3.0		0.5	2.5	2.5	1.0			10.5	8.5			5.0				8.0	2.0
8- 9					0.5	5.0	6.0	3.5		2.0		6.5		7.0						4.0	4.5		5.5
9-10	3.0				2.5	7.0		6.5	5.5	1.5		2.0		3.5	7.5	3.5	1.5				1.0		9.0
10-11					4.5	0.5	5.0	2.5		1.0							5.0						3.5
11-12		4.0	6.0		6.5	2.5		5.5		0.5	3.0				7.0		9.0		11.5	5.5		13.0	7.0
12-13	5.0				0.0	4.5	4.0	2.0	2.0					13.0			12.5	10.5			11.0	11.5	1.5
13-14					2.0	6.5		5.0				4.0		9.0	6.5				5.0		7.5	9.5	5.0
14-15					4.0		2.5	1.0	5.0					5.5		11.0		4.0		7.0	4.5	8.0	9.0
15-16	7.0				6.0	2.0		4.0			5.0			2.0	6.0						1.0	6.5	3.0
16-17						4.0	1.5	0.0			0.5											4.5	7.0
17-18					1.5	6.0		3.0	1.5			6.0			5.0	2.5	3.0				8.5	3.0	1.0
18-19					3.5		0.5	6.0				1.5		11.5			6.5		10.5		11.0	1.5	5.0
19-20					5.5	1.0		2.0	4.5		7.0			8.0	4.5		10.5	9.5			7.5		8.5
20-21						3.0		5.0			2.5			4.5					4.5	10.5	4.5		3.0
21-22					1.0	5.5		1.0	8.0					0.5	4.0			3.5			1.0		6.5
22-23					3.0			4.0	1.0			3.5				9.5							1.0
23-24	0.5				5.0	0.5		0.5					0.5		3.5					12.0			4.5
24-25					7.0	2.5		3.0	4.5		4.5			10.5			1.0				11.0		8.0
25-26					0.5	4.5		6.0						6.5	2.5	1.0	4.5		10.0	0.5	7.5	12.0	2.5
26-27	2.5				2.5	6.5		2.5	7.5			5.5	1.5	3.0			8.0	9.0			4.5	10.5	6.0
27-28					4.5	0.0		5.5	0.5			1.0			2.0		12.0		4.0		1.0	9.0	0.5
28-29					6.5	2.0		1.5			6.5							3.0		2.5		7.0	4.0
29-30	4.5					4.0		4.5	4.0		2.0		3.0	12.5	1.5							5.5	7.5

	BETA	AE	AE	Y	RV	UZ	UZ	AV	U	V505	1968	RS	AO	Y	RW	RZ	TY	WY	AC	AM	AQ	CT	EQ
	PER	PHE	PHE	PSC	PSC	PUP	PUP	PUP	SGE	SGR	SGR	SER	SER	SEX	TAU	TAU	TAU	TAU	TAU	TAU	TAU	TAU	TAU
MAX	2.2	7.5	7.5	9.0	11.3	9.7	9.7	10.2	6.4	6.4	12.3	10.8	10.6	9.8	8.0	10.5	11.5	11.5	10.5	10.4	12.0	10.2	10.3
MIN	3.5	8.2	8.2	12.0	12.0	10.6	10.3	10.8	9.1	7.6	13.3	11.5	12.1	10.2	12.5	11.2	12.0	11.7	12.3	12.3	12.9	11.5	11.0
DUR	8	2	2	7	3	4	4	3	6	5	4	4	4	3	4	3	2	4	6	5	5	5	3
TOT									2						1								
			(S)				(S)																
0- 1			5.0	6.5	3.5		8.0	10.5								7.5	10.0				2.0		1.0
1- 2		3.0	7.0		6.0	12.5								8.0		3.5	12.0	6.5			7.5	7.5	2.0
2- 3		5.0			8.5	7.5										9.5					12.5		2.5
3- 4	11.0	7.0	2.5				12.0									5.5		8.5				7.5	3.0
4- 5			5.0	1.0	0.5		7.0	8.0								1.5							3.5
5- 6		2.5	7.0		3.0	12.0		10.5							9.0	7.0		10.0				7.5	4.0
6- 7	8.0	4.5			5.5	7.0								9.0		3.0		3.0			4.0		4.5
7- 8		6.5	2.5		8.0		11.5				0.5					9.0		12.0			9.5	7.5	5.0
8- 9			4.5		11.0		6.5								3.5	5.0		4.5					6.0
9-10	4.5	2.0	6.5		0.0	11.0		8.0														7.5	6.5
10-11		4.5			2.5	6.5		11.0		1.5						7.0	3.0	6.5					7.0
11-12		6.5	2.0		5.5		11.0							10.0		3.0	4.5			3.0		7.5	7.5
12-13	1.5		4.0		8.0											9.0	6.5	8.5			6.0		8.0
13-14		2.0	6.0		10.5	10.5										5.0	8.5			4.0	11.0	7.5	0.5
14-15		4.0						8.0						8.5			10.0	10.5					1.0
15-16		6.0	1.5	8.0	2.5		10.5	11.0								6.5	12.0	3.0		5.5		7.5	1.5
16-17			4.0		5.0						1.0		0.0		10.5	2.5		12.0					2.0
17-18		1.5	6.0		7.5	10.0										8.5		5.0		6.5	3.0	7.5	3.0
18-19		3.5			10.0				2.0							4.5					8.0		3.5
19-20		5.5	1.5	2.5			9.5	8.5				1.5		9.5	5.0			7.0		7.5		7.5	4.0
20-21			3.5		2.0			11.0								6.5							4.5
21-22			5.5		4.5	9.5										2.5		8.5		8.5		7.5	5.0
22-23		3.5			7.0							1.0		8.0		8.5							5.5
23-24	12.5	5.5			10.0		9.0			1.5						4.0		10.5		9.5	4.5	8.0	6.5
24-25			3.0					8.5									3.0	3.0			10.0		7.0
25-26			5.0		1.5	9.0		11.5				1.0				6.0	5.0	12.5	2.0	10.5		8.0	7.5
26-27	9.5	3.0	7.5		4.5											2.0	6.5	5.0					8.0
27-28		5.0			7.0		8.5							9.0	12.5	8.0	8.5		3.0	11.5		8.0	0.5
28-29		7.0	3.0		9.5							0.5				4.0	10.5	7.0			1.5		1.0
29-30	6.5		5.0			8.0		8.5								10.0	12.0		4.5	12.5	6.5	8.0	1.5

	EQ	HU	V	X	RS	RV	W	W	TX	TY	TY	UX	UX	VV	XZ	ZZ	AF	W	RU	AG	AH	AX	BH
	TAU	TAU	TRI	TRI	TRI	TRI	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMA	UMI	UMI	VIR	VIR	VIR	VIR
MAX	10.3	6.0	10.9	8.9	10.3	11.4	9.1	9.1	6.8	11.7	11.7	12.7	12.7	10.1	10.1	9.8	10.8	8.6	10.7	8.8	9.7	10.0	9.9
MIN	11.0	6.8	11.9	12.0	11.0	12.5	9.9	9.9	8.9	12.4	12.4	13.8	13.8	11.0	11.7	11.2	11.6	9.7	11.4	9.4	10.2	10.8	11.3
DUR	3	6	4	4	4	4	3	3	6	3	3	1	1	3	3	4	8	7	4	4	4	4	4
TOT																							

	(S)						(S)			(S)											(S)		
0- 1	5.5		8.0			1.0	8.0	4.0		7.0				8.5				6.0	9.0			12.5	
1- 2	6.0	9.5						4.0		8.5		0.5							10.5	9.0			
2- 3	6.5		2.0			7.5		4.0			5.5	0.5	10.0	5.0					11.5				
3- 4	7.0	11.0	6.0			1.5		4.0			7.5	9.5		10.0	6.0					0.0			
4- 5	7.5		10.5					4.0					9.0	11.5						1.5			
5- 6	8.0	12.5	0.5		9.5	7.5		4.0		6.0		8.5		4.0				8.5	2.5		9.5		
6- 7	0.5		4.5	11.5		1.5		4.0		7.5			8.0							3.5	12.5		
7- 8	1.0		8.5	10.5	7.5			4.0				7.5		5.5				1.5	5.0				
8- 9	1.5			10.0		8.0		4.0			6.5				7.5		6.0			6.0	10.5		
9-10	2.5		2.5	9.5	5.0	2.0		4.0			8.0			7.0	13.0					7.0			
10-11	3.0		7.0	8.5				4.0	6.0							3.5		11.0	8.5	9.0			
11-12	3.5		11.0	8.0	3.0	8.5		4.0		6.5					8.5					9.5			12.5
12-13	4.0		1.0	7.5		2.5		4.0			8.5		1.0			10.5		3.5	11.0			11.0	
13-14	4.5		5.0	6.5	1.0			4.5	7.5			0.5	10.0	5.0			12.0			12.0			
14-15	5.0		9.0	6.0		8.5		4.5			7.0	0.0			10.0					0.5			
15-16	6.0			5.5		3.0		4.5			0.0		9.5	11.5						2.0	12.5		
16-17	6.5		3.0	4.5				4.5	9.0	6.0		9.0		4.0						3.0		9.5	
17-18	7.0		7.5	4.0		9.0		4.5		7.5			8.5			1.0		6.0	4.0	10.5			
18-19	7.5			3.0		3.0		4.5				8.0		5.5						5.5			
19-20	8.0		1.5	2.5				4.5	10.5		6.0				7.5	8.5				6.5		11.5	
20-21	0.5		5.5	2.0		9.5		4.5			7.5			7.0	13.0					8.0			12.5
21-22	1.0		9.5	1.0		3.5		4.5												9.0			
22-23	1.5			0.5				4.5	12.0	6.5					8.5			8.5	10.0				
23-24	2.0		3.5			10.0		4.5		8.0										11.5			
24-25	3.0		8.0			4.0		4.5					1.0	10.0	5.0		0.5	1.5	12.5	12.5			
25-26	3.5							4.5			7.0	0.5			10.0					1.0			
26-27	4.0	2.0	2.0		9.5	10.0		4.5			8.5		0.0	11.5		6.0				2.5	10.5		12.5
27-28	4.5		6.0			4.0		4.5		5.5		9.0		4.0				11.0	3.5		9.5		
28-29	5.0	3.0	10.0		7.5			4.5		7.0			9.0							5.0			
29-30	5.5		0.0			10.5		4.5		0.0		8.5		5.5			6.5	4.0	6.0				12.0

	Z	AW	AY	BE	BO	BS	BT	BU	CD	V495	V495
	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL	VUL
MAX	7.4	10.8	11.0	9.9	10.4	11.0	11.8	10.6	11.5	9.6	9.6
MIN	9.2	11.9	12.9	11.4	13.3	11.5	12.5	11.4	12.6	10.0	10.0
DUR	6	5	4	5	4	3	3	3	4	4	4
TOT											

	(S)										
0- 1						3.0	2.5	5.5			
1- 2						1.5			5.5		2.5
2- 3				2.5		0.5					
3- 4		1.5						2.0			
4- 5								5.0			
5- 6				5.0						3.0	
6- 7									0.0		0.0
7- 8		2.5						1.5			
8- 9							2.5	4.5	1.5		
9-10						4.0	5.5				
10-11			4.5			2.5			2.5	0.5	
11-12		3.0				1.5		1.0			
12-13	3.5					0.5		4.5	4.0		
13-14											
14-15									5.0		4.5
15-16		4.0	0.0					0.5			
16-17				2.0			2.0	4.0			
17-18	1.5						5.5				
18-19										5.0	
19-20		4.5		4.5		4.0		0.0			2.0
20-21		0.0				2.5		3.5			
21-22						1.5			1.0		
22-23						0.5					
23-24		5.5			5.0				2.5	2.5	
24-25		1.0					1.5	3.0			
25-26					3.5		5.0		3.5		
26-27											
27-28			1.5		2.0				5.0		
28-29		1.5						2.5		0.0	
29-30					1.0	3.5		6.0			